Ecuador – Northern I

Chocó Cloud Forest

31st March to 7th April 2022 (8 days)

Eastern Andes: Páramo and Cloud Forest

7th to 13th April 2022 (7 days)

Ultimate Amazon: Sumaco Foothills & Rio Napo

13th to 21st April 2022 (9 days)

Trip Report



Ochre-breasted Antpitta by Holger Teichmann

Trip report compiled by Tour Leader: Dušan Brinkhuizen

Tour Summary

Due to its diverse habitat array, ranging from the high Andes to excellent lowland rainforest, north-western South America has the highest avian diversity in the world. Ecuador is fortuitously situated within the heart of this fantastic ecological region, boasting a bird list of nearly 1,700 species! Furthermore, its small size, good infrastructure, unsurpassable scenery and friendly people make Ecuador one of the planet's most delightful birding destinations. In April of 2022, we birded the north of the country, doing three back-to-back tours starting in the endemic-rich Chocó cloud forests in the west, followed by the high-elevation Páramo in the east, slowly descending through the cloud forests of the vast east-slope, and ending in the mega-diverse Amazon basin. The number of amazing birds and other wildlife that we saw was simply overwhelming. The highlights of our epic Rockjumper trips are further narrated in this report.

Chocó Cloud Forest



Shining Sunbeam by Astar Winoto

Our Northern Ecuador series kicked off north-west of Quito, with us visiting classic birding hotspots in the Pichincha province in search of Chocó endemics and other specialties. A male Blue-and-yellow Tanager at our hotel in Quito was one of the first birds of the trip! We continued our journey along the higher flanks of the Pichincha volcano at c. 3,600m elevation, where we visited the Yanacocha reserve. Along the way, we made a couple of tactical stops and picked up targets like Paramo Pipit. The bird feeders at Yanacocha were very productive, and the morning action was rather overwhelming! The multi-coloured Black-chested and Scarlet-bellied Mountain Tanagers were dominating the scene, followed by the smaller Masked and Glossy Flowerpiercers. We also enjoyed a great number of hummingbirds at the feeders including Buff-winged Starfrontlet, Shining Sunbeam, Tyrian Metaltail, Great Sapphirewing, and Sapphire-vented Puffleg. Unfortunately, the much-desired Sword-billed Hummingbird was not around. We then continued along the "Inca trail" where we run into various mixed-species flocks with stunners like Golden-crowned and Hooded Mountain Tanager, Pearled Treerunner, Rufous Wren, Superciliaried Hemispingus, Blue-backed Conebill, and Spectacled Whitestart. We did also well in terms of tyrannulets, identifying White-throated, White-banded and the scarce Tawny-rumped Tyrannulet in the same flock. At the far feeders, we luckily managed to connect with the extraordinary Sword-billed Hummingbird — surely one of the most spectacular hummingbirds in the world! Another highlight was a juvenile Equatorial Antpitta, showing really nicely. Andean Pygmy Owl on the way back was a bonus. Further down in the Tandayapa valley, we watched a female Andean Cock-of-the-rock perched at eye level next to the vehicle. The road to Bellavista was blocked by a landslide so we had to make a detour to get there. Therefore, we arrived a little later at the lodge than scheduled but we were right in time to watch both Olinguito and Kinkajou in the spotlights — pretty amazing!



Velvet-purple Coronet by Astar Winoto

At dawn, activity at Bellavista was pumping with birds, and we managed to get excellent views of Masked Trogon, Strong-billed and Montane Woodcreepers, Golden-crowned Flycatcher, Striped Treehunter, and Choco Brushfinch, among many others species. Toucan Barbet was a major highlight at the parking lot, and mixed-species flocks that moved through got us stunners like Grass-green and Metallic-green Tanagers. White-throated Quail Dove foraging at the compost heap was a great sighting. The rare Tanager Finch was nowhere to be found, but we did get a fantastic Plate-billed Mountain Toucan, which was our principal target — no toucan, no lunch! Further up the road, it was Scott that spotted the rarest bird of the day, a cracking pair of Black-and-chestnut Eagles soaring by! In the afternoon, we got caught in heavy rain and thunderstorms, almost like a tropical hurricane, with lots of hazards along the way. Dario was busy chopping trunks and branches with his machete, but even after passing through three different treefalls, we eventually had to turn back as the fourth landslide was impossible to pass. Luckily, after a long day, we did make it to the next lodge!

The following morning, we visited Refugio Paz de las Aves, also known as “Paz de las Antpittas”. We arrived early at the hide, but there was no sign of the Andean Cock-of-the-rocks! A couple of males had apparently already left, and this time of year their display activity was seemingly down to a minimum — we have no other option, we’ll try tomorrow again but get here before dawn. A little later, we did get a Dark-backed Wood Quail, a wonderful consolation. Next, we watched superstar “Maria”, a Giant Antpitta that was feeding two nestlings at its nest — a unique wildlife observation! Angel Paz his magic continued showing us Yellow-breasted, Ochre-breasted and Chestnut-crowned Antpittas in addition! Common Potoo at its day roost was really nice too, and a distant Cloud Forest Pygmy Owl was another great find. At the feeders we watched marvellous tanagers including Blue-winged Mountain, Black-chinned Mountain, Golden, Flame-faced and Golden-naped, all at touching distance. Crimson-rumped Toucanet, Red-headed Barbet, and Toucan Barbet were also allowing close approach — mind-blowing and pretty easy photography! In the afternoon, we went to the Oilbird site, which was rewarding as always, with a dozen of these bizarre nocturnal creatures showing nicely at close range. Bonus birds that we picked up in the area included the rare Grey-breasted Flycatcher, Little Cuckoo, Masked Water Tyrant, and a lovely Scarlet-backed Woodpeckers!



Oilbird by Andrew Hood

At the crack of dawn, we gave it another attempt at the hide for Andean Cock-of-the-rock. As it was getting light, we secured good views of a few wonderful males, but display activity stopped shortly after, and once again the males

dispersed, leaving the lek behind. We continued to the Amagusa reserve, a magical area supporting some of the wettest Chocó cloud forests of Ecuador. The entry track produced a lot of great birds including Orange-breasted Fruiteater, Indigo Flowerpiercer, Pacific Tuftedcheek, Uniform Treehunter, and Tawny-breasted Myiobius. A White-tipped Sicklebill caused for a lot of excitement, and shortly after it was located on a perch, we all got superb views! The action continued as we visited the feeders, where the bird activity was pretty overwhelming. A large variety of species came in, including Chocó endemics such as Black-chinned Mountain, Moss-backed, Rufous-throated and the ultra-vivid Glistening-green Tanagers. Other beauties included Flame-faced, Golden-naped, Golden and Lemon-rumped Tanagers, and even a pair of Golden-collared Honeycreepers came in, eating away bananas at almost touching distance! The amazing hummingbirds here included the tiny Green Thorntail and many stunning Chocó endemics, such as Velvet-purple Coronet, Violet-tailed Sylph, Empress Brilliant, Brown Inca, White-whiskered Hermit and Purple-bibbed Whitetip. A couple of Rose-faced Parrots posing in a tree in the garden was fantastic too.



Rose-faced Parrot by Astar Winoto

After lunch, we went to twitch a day roosting Common Potoo, which was easy. Suddenly, Andrew spotted a raptor sitting in the trees above us — it was a cracking adult Black-and-white Hawk-Eagle! We got great looks at this very rare forest raptor, and for sure it was the bird of the day. Birding down the road to Pachijal was exciting and productive with highlights including Barred Puffbird, Slate-throated Gnatcatcher, Scarlet-browed and Grey-and-gold Tanager, Broad-billed Motmot, and Orange-fronted Barbets — yet another bird-packed day!



Scarlet-breasted Dacnis by Astar Winoto

Our morning quest for Club-winged Manakin on the grounds of Septimo was unsuccessful, but a pair of Ecuadorian Seedeaters was surely a nice consolation! Our manakin search continued along a cloud forest ridge above Mindo, but the birds were not lekking here either. We did find a sweet antswarm attended by Bay Wrens and Zeledon's Antbirds! After lunch, we had a wonderful afternoon in the Mindo valley, with many highlights including Sunbittern, White-capped Dipper, Coopman's Elaenia — and especially for Scott — a Dull-colored Grassquit!

The next day, we travelled to the Rio Silanche Bird Sanctuary located in the humid lowlands of the Pichincha province. Over the years, the habitat in the area had been severely deforested and, sadly, the reserve is now a small island of tall humid Chocó lowland forest, a final refuge for many forest species in the area. An early start in the canopy tower produced amazing bird parties, with stunners such as Scarlet-browed and Rufous-winged Tanager, Orange-fronted Barbet, Choco and White-



Black-backed Bush Tanager by Nicky Garrett

tailed Trogon, and Blue, Yellow-tufted, Scarlet-thighed, and Scarlet-breasted Dacnis — four species of Dacnis in a single tree! The forest trail was less birdy but did produce forest-dwellers like Scaly-throated Leaftosser, White-whiskered Puffbird and the tiny Black-capped Pygmy Tyrant! At Kapari Lodge we continued adding new species to the list with stunners like Pale-mandibled Aracari, Yellow-tailed Oriole, Band-backed Wren and Great Antshrike. A large flock of swifts overhead got our attention, and we were able to pick the scarce Spot-fronted Swift out of the crowd. The star after dinner was a superb Crested Owl that we had tracked down in the garden. The following morning, we visited the umbrellabird site. We heard the species vocalizing in the distance but it was extremely foggy and we were unable to see anything. Once it cleared up, we checked a fruiting tree with Yellow-throated and Choco Toucans, and Crested Guans, but no umbrellabird — bad luck!

Eastern Andes: Páramo & Cloud Forest

Our first birding stop was in the valley of Nayon, where a vagrant Baltimore Oriole was photographed in a garden. We were unable to relocate the oriole but did get various species of interest including Tropical Mockingbird, Vermilion Flycatcher, Saffron Finch, Golden Grosbeak, and Scrub Tanager! We then continued our journey to one of the most famous and picturesque snow-capped strato-volcanoes of Ecuador: Antisana. This breath-taking Andean landscape was filled with exciting birds and the majestic Andean Condor was among the first species that we saw when we got out of the vehicle! We enjoyed adult and juvenile condors, soaring in the wind with ease, like a light aircraft. Up at the altiplano fields we lucked into a flock of 25 Andean Ibises — fantastic! Paramo Pipit played hide and seek, and after some patient scanning, we got nice views of this high-altitude passerine. A neat surprise that we found in a flock of Andean Gulls was a second-year Franklin's Gull — a vagrant in the high Andes. Laguna Mica got us the hoped-for Silvery Grebes and Andean Ducks. A Giant Hummingbird that we watched while having lunch was surely another highlight for the day!



Rainbow-bearded Thornbill by Nicky Garrett

The following morning, we started at the hide at Guango, with Turquoise Jays feeding on moths at close range, and so were Northern Mountain Cacique, Black-eared Hemispingus, Russet-crowned Warbler and Strong-billed Woodcreeper. The scarce Tyrannine Woodcreeper was a welcome surprise, and so was a juvenile Slaty-backed Nightingale Thrush! We then drove up to Papallacta Pass where we searched hard for the Rufous-bellied Seedsnipe. It was freezing up at the antennas with dense fog, so our chances seemed slim. However, it was Chris that found these cryptic birds in record time, and we enjoyed a pair of these beauties at



Peruvian Antpitta by Holger Teichmann

close range — hooray! At a Polylepis forest patch we looked for Giant Conebill without success, but a Paramo Tapaculo that we saw here was a good consolation. Back at Guango Lodge, we worked the fast-flowing river where we connected sweetly with Torrent Duck. A Silver-beaked Tanager that we observed in a mixed-species flock along the pipeline track was surely out of range, a wanderer from lower elevations. The rare Mountain Avocetbill seen along the waterfall trail was a superb sighting, but our best find for the day was a cracking Mountain Tapir posing out in the open!

The next day, we birded the treeline and paramo habitats of the Cayambe-Coca National Park. It was cold and foggy with only a few birds seen, but all of them high-quality species like Rainbow-bearded Thornbill, Black-backed Bush Tanager, Viridian Metaltail, and Red-rumped Bush Tyrant! A stunning male Scarlet Tanager that we observed here was totally out of range — another great high-elevation record! Back at Guango for lunch, we enjoyed some superb afternoon birding on the grounds with fantastic views of stunners like Plushcap, Grass-green Tanager and the fantastic Grey-breasted Mountain Toucan — another amazing day!

Breakfast at Cabañas San Isidro was delicious as always, but especially because of all the birdlife showing up at the deck — a feeding frenzy! Inca Jays even landed on the handrail and other species that we enjoyed at touching-distance included Masked Trogon, Black-billed Peppershrike, Black-eared Hemispingus, Cinnamon Flycatcher, Subtropical Caciques, Russet-backed Oropendola, Montane and Olive-backed Woodcreeper, Common Bush Tanager, Canada and Blackburnian Warbler, Smoke-colored Pewee and Pale-edged Flycatcher, to name but a few. Our date with White-bellied Antpitta went smoothly, and one adult showed up almost instantly at the worm feeder. Birding along the Las Caucheras road produced goodies like Chestnut-breasted Chlorophonia, Grass-green Tanager and White-rumped Hawk. At Las Brisas we added various new jewels to our list including Peruvian Racket-tail and Green-backed Hillstar. Other highlights here were Flame-faced Tanager and Lemon-browed Flycatcher. In the late afternoon, we walked down a forest trail where we got amazing looks at males of Andean Cock-of-the-rock — the flaming orange variant of race aequatorialis!



Powerful Woodpecker by Nicky Garrett

Today we made an early start to the famed Guacamayos, a ridge with pristine east-slope cloud forest, among the most diverse and wettest forests in Ecuador, and the first cordillera that the clouds from the Amazon basin run into. We birded our way in pretty far, picking up goodies like



Yellow-throated Tanager by Aleksandar Topalov

Slaty-crowned Antpitta, Bronze-olive and Rufous-headed Pygmy Tyrants, and Handsome Flycatcher. On our way back, we got a Barred Antthrush out on the trail — a mega bird! Lower down at Cocodrilos, we made a magic birding stop with a crisp male Crested Quetzal that showed itself fantastically! The action continued when a mixed-species flock moved through, bagging crackers like Blue-browed and Vermilion Tanager, and even Black-chested Fruiteater! Back at Cabañas San Isidro we hiked a forest trail and ran into a splendid male Powerful Woodpecker. A soft plaintive whistle got our full attention and soon we were bushwhacking. After a few minutes, we all got on the calling bird, a male Peruvian Antpitta, perched perfectly at eye level — another true mega! We kept adding great birds to our list, enjoying multiple Golden-headed Quetzals and getting nice views of Long-tailed Tapaculo. After dusk, rare birds kept coming with fantastic views of Andean Potoo and the mysterious Black-banded Owl — a truly exceptional day packed with rarities!

Ultimate Amazon: Sumaco Foothills & Rio Napo

Our ultimate Amazon tour kicked off with a mega bird. In the afternoon, we went to look for the Peruvian Antpitta again, but at the crime scene of the previous day there was no sign of this very rare species. However, at a totally different spot, we heard the same soft plaintive whistle, and a few minutes later we were watching a cracking male Peruvian Antpitta — how amazing! The following morning, we successfully targeted White-bellied Antpitta for the newcomers, and Oleaginous Hemispingus was a welcome surprise at the lodge deck. A stop at the Guacamayos ridge got us Green-and-black Fruiteater and Sulphur-bellied Tyrannulet, among other species. Lower down the road, we added the fancy Yellow-throated Tanager to our list. Loreto road was productive with Cliff Flycatchers and a lovely pair of Blackish Nightjars on day roost. Close to Rio Guamani we did some great birding with lots of highlights including Lined Antshrike, Chestnut-eared Aracari, Crimson-crested Woodpecker, and the much-desired Coppery-chested Jacamar!



Plain-backed Antpitta by Holger Teichmann

Our stay at Wildsumaco Lodge was fantastic. The moth sheet was highly productive in the morning, with great views of tough birds like Western Fire-eye, Black-faced Antbird, Black-billed Treehunter, Plain Antvireo, and both White-chested and Black-streaked Puffbirds. The worm feeders down the Coopman's trail got us fantastic views of Plain-backed and Ochre-breasted Antpittas. The hummingbird feeders and flowers at the lodge deck kept us



Collared Puffbird by Holger Teichmann

busy with jewels like Wire-crested Thorntail, Violet-headed Hummingbird, Green Hermit, Napo Sabrewing, Violet-fronted and Black-throated Brilliant, Fork-tailed Woodnymph, Golden-tailed Sapphire, Many-spotted Hummingbird and Gould's Jewelfront! Birding the trails in the forest was challenging as always, but rewarding with Grey-tailed Piha, Chestnut-crowned Gnateater, Wing-barred Piprites, Orange-eared Tanager, and Foothill Elaenia. At a site with dense tangle, we connected with the rare Brown Nunlet, and shortly after we got great views of Western Striolated Puffbird, a species named after president Barak Obama. Highlights that we got at the soccer field included Military Macaw, Yellow-cheeked Becard, Yellow-throated Toucan, and a stunning adult Collared Forest Falcon. After dinner, owling produced great looks at both Band-bellied and Foothill Screech Owl. A flyover Oilbird was a welcome surprise! On the last morning, we successfully twitched Rufous-vented Whitetip at the biological station before heading down to the lowlands.

Our stay at Sani Lodge in the remote Amazonian forests at the edge of Yasuni National Park was a delight. The Rio Napo boat ride was pleasant with some easy birding producing species like the fancy Pied Plover and a surprise Capybara! Birding from the canoe in the blackwaters near the lodge produced tons of great birds including the bizarre Hoatzin, day roosting Boat-billed Herons, Great Potoo, Gilded Barbet, Green-backed Trogon, Black-fronted Nunbird, Rufescent Tiger Heron, Capped Heron, White-chinned Jacamar and the highly localized Cocha Antshrike! One morning, we experienced a total rainout but the birding from the porch still produced crackers, including Sunbittern, Long-billed Woodcreeper, and the rare Lesson's Seedeater! At the lodge deck, the large Black Caiman named Lucy was greeting us every day. The canopy tower at Sani was simply amazing, and in particular after the rain, we bagged a lot of fantastic birds. A distant female Crested Eagle caused a lot of excitement, a bird that we saw two days in a row! Highlights were numerous, with Blue-and-yellow Macaws circling and landing next to the tower, males of Spangled and Plum-throated Cotinga, King Vulture, Cinnamon Atilla, Paradise Tanager, Scaly-breasted Woodpecker, and a stunning Collared Puffbird halfway down the tower — Amazonia birding at its very best! The Rio Napo islands produced a different set of birds with memorable species including Black-and-white Antbird, Orange-headed Tanager, Oriole Blackbird, River Tyrannulet, Caqueta Seedeater, Ladder-tailed Nightjar, Horned Screamer, and up to ten different Amazonian Umbrellabirds! The Yasuni hide was another great site with close up views of the magnificent Scarlet Macaw. Terrafirme trail birding was also highly rewarding with great views of both Golden-headed and Wire-tailed Manakin, Rusty-belted Tapaculo, Great Jacamar, and the amazing Grey-winged Trumpeters! A



Cinnamon Attila by Aleksandar Topalov

stakeout on the north bank of the Rio Napo got us White-lored Antpitta and Brown Jacamar, among others. Birding after dusk got us wonderful views of Tawny-bellied Screech Owl in the spotlight, but also American Pygmy Kingfisher and Dot-backed Antbird sleeping on their night roost — our local guides were just simply amazing!

Acknowledgements

Astar Winoto, Andrew Hood, Nicky Garrett, Holger Teichmann and Aleksandar Topalov kindly provided the images for this report, all taken during the tour.

Annotated List of species recorded

Note: Number in brackets ( ) indicate number of days on the tour the species was recorded.

Birds (712 in total: 642 seen, 70 heard)

Nomenclature and taxonomy follows Gill, F, D Donsker, and P Rasmussen (Eds). 2021. IOC World Bird List (v 11.2). Doi 10.14344/IOC.ML.11.2. h.

Status codes: E = Endemic**, NE** = Near-endemic**, I** = Introduced

IUCN codes: CR = Critically endangered, **EN** = Endangered, **VU** = Vulnerable, **EW** = Extinct in the Wild, **NT** = Near Threatened, **DD** = Data Deficient

Tinamous *Tinamidae*

Great Tinamou (NT) *Tinamus major*

(2) 1 heard Sani Lodge 17.4 and 1 heard Sani Lodge 18.4.

Cinereous Tinamou (LC) *Crypturellus cinereus*

(1) 1 heard Sani Lodge 19.4.

Little Tinamou (LC) *Crypturellus soui*

(2) 1 heard Rio Silanche Bird Sanctuary 6.4 and 1 heard WildSumaco Lodge 17.4.

Undulated Tinamou *Crypturellus undulatus yapura*

(2) 1 heard Wildsumaco Rd, downhill 14.4 and 1 heard Sani Lodge 19.4.

Screamers *Anhimidae*

Horned Screamer (LC) *Anhima cornuta*

(1) Rio Napo 19.4.

Ducks, Geese, Swans *Anatidae*

Torrent Duck (LC) *Merganetta armata*

(2) 2 Guango Lodge 9.4 and Bermejo 10.4.

Yellow-billed Pintail *Anas georgica spinicauda*

(1) Laguna Papallacta 9.4.

Andean Teal *Anas andium andium*

(2) Antisana Ecological Reserve 8.4 and Laguna Papallacta 9.4.

Andean Duck *Oxyura ferruginea ferruginea*

(1) Antisana Ecological Reserve 8.4.

Chachalacas, Curassows, Guans *Cracidae*

Speckled Chachalaca *Ortalis guttata guttata*

(3) Wildsumaco Rd, downhill 14.4, Rio Napo 17.4 and Yasuni NP 19.4.

Andean Guan (LC) *Penelope montagnii*

(4) Yanacocha 1.4, Guango Lodge 9.4, Guango Lodge 10.4 and Guacamayos Ridge 12.4.

Crested Guan *Penelope purpurascens aequatorialis*

(2) Refugio Paz de las Aves 3.4 and 3 23 de Junio 7.4.

Spix's Guan *Penelope jacquacu jacquacu*

(2) 4 Sani Lodge 17.4 and Sani Lodge 19.4.

Wattled Guan (NT) *Aburria aburri*

(1) 1 heard WildSumaco Lodge 16.4.

Sickle-winged Guan (LC) *Chamaepetes goudotii*

(1) Bellavista Cloud Forest 2.4.

New World Quail *Odontophoridae*

Rufous-fronted Wood Quail (LC) *Odontophorus erythrops*

(1) 1 heard 23 de Junio 7.4.

Dark-backed Wood Quail (VU) *Odontophorus melanonotus*

(1) Refugio Paz de las Aves 3.4.

Nightjars *Caprimulgidae*

Blackish Nightjar (LC) *Nyctipolus nigrescens*

(1) 2 Loreto Road 14.4.

Pauraque *Nyctidromus albicollis albicollis*

(2) Sani Lodge 17.4 and 1 heard Sani Lodge 20.4.

Ladder-tailed Nightjar *Hydropsalis climacocerca climacocerca*

(1) Rio Napo 19.4.

Oilbird *Steatornithidae*

Oilbird (LC) *Steatornis caripensis*

(2) Oilbird site near Chontal, Cueva de los Tayos 3.4 and WildSumaco Lodge 16.4.

Potoos *Nyctibiidae*

Great Potoo (LC) *Nyctibius grandis*

(1) Sani Lodge 17.4.

Common Potoo (LC) *Nyctibius griseus*

(4) Refugio Paz de las Aves 3.4, Mashpi Road 4.4, 1 heard Sani Lodge 17.4 and Sani Lodge 18.4.

Swifts *Apodidae*

Spot-fronted Swift (DD) *Cypseloides cherriei*

(2) Kapari Lodge 6.4 and Cocodrilos, Reserva Ecológica Antisana 13.4.

White-chinned Swift (LC) *Cypseloides cryptus*

(1) WildSumaco Lodge 15.4.

Chestnut-collared Swift *Streptoprocne rutila brunnitorques*

(2) Kapari Lodge 6.4 and WildSumaco Lodge 15.4.

White-collared Swift (LC) *Streptoprocne zonaris*

(11) Mashpi Road 4.4, Kapari Lodge 6.4, Rio Silanche Bird Sanctuary 6.4, 23 de Junio 7.4, Papallacta Pass 9.4, Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4, 1 heard Guacamayos Ridge 12.4, 1 heard Guacamayos Ridge 14.4, WildSumaco Lodge 15.4, WildSumaco Lodge 16.4, Sani Lodge 18.4 and Sani Lodge 20.4.

Grey-rumped Swift (LC) *Chaetura cinereiventris*

(2) Rio Silanche Bird Sanctuary 6.4 and Wildsumaco Rd, downhill 14.4.

Short-tailed Swift (LC) *Chaetura brachyura*

(2) WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Neotropical Palm Swift *Tachornis squamata semota*

(3) Sani Lodge 18.4, Rio Napo 19.4 and Sani Lodge 20.4.

Lesser Swallow-tailed Swift (LC) *Panyptila cayennensis*

(1) Rio Silanche Bird Sanctuary 6.4.

Hummingbirds *Trochilidae*

White-necked Jacobin *Florisuga mellivora mellivora*

(4) Amagusa Reserve 4.4, Septimo Paraiso, N of Mindo 5.4, Kapari Lodge 6.4 and 23 de Junio 7.4.

White-tipped Sicklebill (LC) *Eutoxeres aquila*

(1) Amagusa Reserve 4.4.

Grey-chinned Hermit (LC) *Phaethornis griseogularis*

(2) Sarayacu Pumping-station 13.4 and WildSumaco Lodge 15.4.

White-bearded Hermit (LC) *Phaethornis hispidus*

(1) Sani Lodge 18.4.

White-whiskered Hermit (LC) *Phaethornis yaruqui*

(4) Amagusa Reserve 4.4, Mashpi Road 4.4, Septimo Paraiso, N of Mindo 5.4, Kapari Lodge 6.4, Rio Silanche Bird Sanctuary 6.4 and 23 de Junio 7.4.

Green Hermit *Phaethornis guy apicalis*

(3) Observed WildSumaco Lodge 15-17.4.

Tawny-bellied Hermit (LC) *Phaethornis syrmatophorus*

(3) Refugio Paz de las Aves 3.4, Septimo Paraiso, N of Mindo 5.4 and La Brisa, Baeza 11.4.

Great-billed Hermit *Phaethornis malaris moorei*

(1) Yasuni NP 19.4.

Brown Violetear (LC) *Colibri delphinae*

(7) Refugio Paz de las Aves 3.4, Amagusa Reserve 4.4, Septimo Paraiso, N of Mindo 5.4, Loreto Road 14.4 and observed WildSumaco Lodge 15-17.4.

Lesser Violetear *Colibri cyanotus cyanotus*

(2) Bellavista Cloud Forest 2.4 and Refugio Paz de las Aves 3.4.

Sparkling Violetear *Colibri coruscans coruscans*

(3) Quito 1.4, Refugio Paz de las Aves 3.4, Nayón 8.4 and Restaurante Tambo Condor 8.4.

Purple-crowned Fairy (LC) *Heliothryx barroti*

(1) Rio Silanche Bird Sanctuary 6.4.

Black-throated Mango (LC) *Anthracothorax nigricollis*

(3) Loreto Road 14.4, WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Gorgeted Sunangel (LC) *Heliangelus strophianus*

(1) Bellavista Cloud Forest 2.4.

Tourmaline Sunangel (LC) *Heliangelus exortis*

(2) Guango Lodge 9.4 and Guango Lodge 10.4.

Green Thorntail (LC) *Discosura conversii*

(3) Amagusa Reserve 4.4, Mashpi Road 4.4, Kapari Lodge 6.4 and Kapari Lodge 7.4.

Wire-crested Thorntail (NT) *Discosura popelairii*

(3) Observed WildSumaco Lodge 15-17.4.

Ecuadorian Piedtail (VU) *Phlogophilus hemileucurus*

(1) WildSumaco Lodge 15.4.

Speckled Hummingbird (LC) *Adelomyia melanogenys*

(7) Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, Guango Lodge 9.4, Guango Lodge 10.4, San Isidro (Ec) 11.4, San Isidro (Ec) 12.4, La Brisa, Baeza 11.4 and San Isidro (Ec) 14.4.

Long-tailed Sylph (LC) *Aglaiocercus kingii*

(5) Guango Lodge 9.4, Guango Lodge 10.4, San Isidro (Ec) 11.4, San Isidro (Ec) 12.4, La Brisa, Baeza 11.4, San Isidro (Ec) 14.4 and Guacamayos Ridge 14.4.

Violet-tailed Sylph (LC) *Aglaiocercus coelestis*

(5) Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, Amagusa Reserve 4.4, Septimo Paraiso, N of Mindo 5.4 and 23 de Junio 7.4.

Ecuadorian Hillstar (LC) *Oreotrochilus chimborazo*

(1) Antisana Ecological Reserve 8.4.

Mountain Avocetbill (LC) *Opisthoprora euryptera*

(2) Guango Lodge 9.4 and Guango Lodge 10.4.

Black-tailed Trainbearer (LC) *Lesbia victoriae*

(2) Quito 1.4, Nayón 8.4 and Restaurante Tambo Condor 8.4.

Purple-backed Thornbill *Ramphomicron microrhynchum microrhynchum*

(1) Antisana Ecological Reserve 8.4.

Rainbow-bearded Thornbill *Chalcostigma herrani herrani*

(1) Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Tyrian Metaltail (LC) *Metallura tyrianthina*

(4) Yanacocha 1.4, Restaurante Tambo Condor 8.4, Guango Lodge 9.4 and Guango Lodge 10.4.

Viridian Metaltail (LC) *Metallura williami*

(1) Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Sapphire-vented Puffleg (LC) *Eriocnemis luciani*

(1) Yanacocha 1.4.

Golden-breasted Puffleg (LC) *Eriocnemis mosquera*

(1) Yanacocha 1.4.

Shining Sunbeam *Aglaeactis cupripennis cupripennis*

(3) Yanacocha 1.4, Restaurante Tambo Condor 8.4 and Papallacta Pass 9.4.

Bronzy Inca *Coeligena coeligena obscura*

(4) San Isidro (Ec) 11.4, San Isidro (Ec) 12.4, La Brisa, Baeza 11.4, 1 heard Cocodrilos, Reserva Ecológica Antisana 12.4, Cosanga 13.4, San Isidro (Ec) 14.4 and Cocodrilos, Reserva Ecológica Antisana 14.4.

Brown Inca (LC) *Coeligena wilsoni*

(5) Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, Amagusa Reserve 4.4, Septimo Paraiso, N of Mindo 5.4 and 23 de Junio 7.4.

Collared Inca (LC) *Coeligena torquata*

(7) Bellavista Cloud Forest 2.4, Guango Lodge 9.4, Guango Lodge 10.4, observed San Isidro (Ec) 11-14.4 and Cocodrilos, Reserva Ecológica Antisana 12.4.

Buff-winged Starfrontlet (LC) *Coeligena lutetiae*

(1) Yanacocha 1.4.

Mountain Velvetbreast *Lafresnaya lafresnayi saul*

(1) Yanacocha 1.4.

Sword-billed Hummingbird (LC) *Ensifera ensifera*

(3) Yanacocha 1.4, Guango Lodge 9.4 and Guango Lodge 10.4.

Great Sapphirewing *Pterophanes cyanopterus peruvianus*

(3) Yanacocha 1.4, Antisana Ecological Reserve 8.4 and Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Buff-tailed Coronet *Boissonneaua flavescens tinochlora*

(4) Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, Guango Lodge 9.4 and Guango Lodge 10.4.

Chestnut-breasted Coronet (LC) *Boissonneaua matthewsii*

(6) Guango Lodge 9.4, Guango Lodge 10.4, observed San Isidro (Ec) 11-14.4 and La Brisa, Baeza 11.4.

Velvet-purple Coronet (LC) *Boissonneaua jardini*

(4) Refugio Paz de las Aves 3.4, Amagusa Reserve 4.4, Septimo Paraiso, N of Mindo 5.4 and 23 de Junio 7.4.

White-booted Racket-tail *Ocreatus underwoodii melanantherus*

(4) Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, Septimo Paraiso, N of Mindo 5.4 and 23 de Junio 7.4.

Peruvian Racket-tail *Ocreatus peruanus*

(5) La Brisa, Baeza 11.4, Loreto Road 14.4 and observed WildSumaco Lodge 15-17.4.

Green-backed Hillstar (LC) *Urochroa leucura*

(4) La Brisa, Baeza 11.4, Cosanga 13.4, Loreto Road 14.4 and WildSumaco Lodge 17.4.

Purple-bibbed Whitetip (LC) *Urosticte benjamini*

(4) Refugio Paz de las Aves 3.4, Amagusa Reserve 4.4, Septimo Paraiso, N of Mindo 5.4 and 23 de Junio 7.4.

Rufous-vented Whitetip (LC) *Urosticte ruficrissa*

(1) WildSumaco Lodge 17.4.

Black-throated Brilliant *Heliodoxa schreibersii schreibersii*

(3) Loreto Road 14.4, WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Gould's Jewelfront (LC) *Heliodoxa aurescens*

(5) Loreto Road 14.4, observed WildSumaco Lodge 15-17.4 and Sani Lodge 20.4.

Fawn-breasted Brilliant (LC) *Heliodoxa rubinoides*

(7) Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, Septimo Paraiso, N of Mindo 5.4, observed San Isidro (Ec) 11-14.4 and La Brisa, Baeza 11.4.

Green-crowned Brilliant *Heliodoxa jacula jamersoni*

(4) Amagusa Reserve 4.4, Septimo Paraiso, N of Mindo 5.4, Kapari Lodge 6.4 and 23 de Junio 7.4.

Empress Brilliant (LC) *Heliodoxa imperatrix*

(1) Amagusa Reserve 4.4.

Violet-fronted Brilliant *Heliodoxa leadbeateri sagitta*

(4) La Brisa, Baeza 11.4 and observed WildSumaco Lodge 15-17.4.

Giant Hummingbird *Patagona gigas peruviana*

(1) Restaurante Tambo Condor 8.4.

Purple-throated Woodstar *Philodice mitchellii*

(4) Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, Amagusa Reserve 4.4 and Septimo Paraiso, N of Mindo 5.4.

White-bellied Woodstar (LC) *Chaetocercus mulsant*

(3) Nayón 8.4, Guango Lodge 9.4 and Guango Lodge 10.4.

Gorgeted Woodstar (LC) *Chaetocercus heliodor*

(1) La Brisa, Baeza 11.4.

Violet-headed Hummingbird *Klais guimeti guimeti*

(3) Loreto Road 14.4, WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Napo Sabrewing (NT) *Campylopterus villaviscensio*

(3) Observed WildSumaco Lodge 15-17.4.

Crowned Woodnymph (LC) *Thalurania colombica*

(3) Mashpi Road 4.4, Septimo Paraiso, N of Mindo 5.4 and Kapari Lodge 6.4.

Fork-tailed Woodnymph *Thalurania furcata viridipectus*

(6) Sarayacu Pumping-station 13.4, Cocodrilos, Reserva Ecológica Antisana 13.4, Loreto Road 14.4, observed WildSumaco Lodge 15-17.4 and Sani Lodge 18.4.

Many-spotted Hummingbird (LC) *Taphrospilus hypostictus*

(4) Loreto Road 14.4 and observed WildSumaco Lodge 15-17.4.

Olive-spotted Hummingbird *Talaphorus chlorocercus*

(1) Rio Napo 19.4.

Rufous-tailed Hummingbird *Amazilia tzacatl jucunda*

(5) Refugio Paz de las Aves 3.4, Amagusa Reserve 4.4, Septimo Paraiso, N of Mindo 5.4, Kapari Lodge 6.4 and 23 de Junio 7.4.

Andean Emerald *Uranomitra franciae*

(3) Refugio Paz de las Aves 3.4, Septimo Paraiso, N of Mindo 5.4 and Kapari Lodge 6.4.

Golden-tailed Sapphire *Chrysuronia oenone oenone*

(4) Loreto Road 14.4 and observed WildSumaco Lodge 15-17.4.

Glittering-throated Emerald *Chionomesa fimbriata fluviatilis*

(2) Loreto Road 14.4 and Sani Lodge 18.4.

Purple-chested Hummingbird *Polyerata rosenbergi*

(1) Rio Silanche Bird Sanctuary 6.4.

Violet-bellied Hummingbird *Chlorestes julie feliciana*

(1) Rio Silanche Bird Sanctuary 6.4.

Cuckoos *Cuculidae*

Greater Ani (LC) *Crotophaga major*

(4) Observed Sani Lodge 17-20.4 and Rio Napo 19.4.

Smooth-billed Ani (LC) *Crotophaga ani*

(10) Oilbird site near Chontal, Cueva de los Tayos 3.4, Pacto--town 4.4, 23 de Junio 7.4, Sarayacu Pumping-station 13.4, Loreto Road 14.4, WildSumaco Lodge 15.4, WildSumaco Lodge 16.4, Loreto Canton 17.4, Sani Lodge 18.4 and Rio Napo 19.4.

Little Cuckoo (LC) *Coccycua minuta*

(2) 2 Oilbird site near Chontal, Cueva de los Tayos 3.4 and Sani Lodge 18.4.

Squirrel Cuckoo (LC) *Piaya cayana*

(6) Bellavista Cloud Forest 2.4, Mindo Valley 5.4, Kapari Lodge 6.4, Baeza 11.4, WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Pigeons, Doves *Columbidae*

Rock Dove *Columba livia domestica*

(7) Quito 1.4, Pacto--town 4.4, Mindo Valley 5.4, en route 6.4, Quito 8.4, Baeza 11.4 and Loreto Canton 17.4.

Scaled Pigeon (LC) *Patagioenas speciosa*

(1) WildSumaco Lodge 16.4.

Band-tailed Pigeon *Patagioenas fasciata albilinea*

(4) Guango Lodge 9.4, San Isidro (Ec) 11.4, La Brisa, Baeza 11.4, Baeza 11.4, Guacamayos Ridge 12.4 and San Isidro (Ec) 13.4.

Pale-vented Pigeon (LC) *Patagioenas cayennensis*

(4) Oilbird site near Chontal, Cueva de los Tayos 3.4, Sani Lodge 18.4, Rio Napo 19.4 and Sani Lodge 20.4.

Plumbeous Pigeon (LC) *Patagioenas plumbea*

(1) 1 heard Sani Lodge 18.4.

Ruddy Pigeon (VU) *Patagioenas subvinacea*

(7) 1 heard Amagusa Reserve 4.4, Septimo Paraiso, N of Mindo 5.4, 1 heard Rio Silanche Bird Sanctuary 6.4, 1 heard 23 de Junio 7.4, WildSumaco Lodge 15.4, WildSumaco Lodge 16.4 and Sani Lodge 18.4.

Ruddy Ground Dove *Columbina talpacoti talpacoti*

(1) Rio Napo 19.4.

Black-winged Ground Dove *Metriopelia melanoptera saturatior*

(1) Antisana Ecological Reserve 8.4.

White-tipped Dove (LC) *Leptotila verreauxi*

(3) Bellavista Cloud Forest 2.4, Mashpi Road 4.4 and Septimo Paraiso, N of Mindo 5.4.

Grey-fronted Dove *Leptotila rufaxilla dubusi*

(4) WildSumaco Lodge 15.4 and up to 1 Sani Lodge 18-20.4.

Pallid Dove (LC) *Leptotila pallida*

(1) Oilbird site near Chontal, Cueva de los Tayos 3.4.

White-throated Quail-Dove (LC) *Zentrygon frenata*

(2) Bellavista Cloud Forest 2.4 and WildSumaco Lodge 15.4.

Eared Dove *Zenaida auriculata hypoleuca*

(2) Quito 1.4, Nayón 8.4, Restaurante Tambo Condor 8.4 and Quito 8.4.

Finfoots *Heliornithidae*

Sungrebe (LC) *Heliornis fulica*

(2) Sani Lodge 18.4 and 1 heard Sani Lodge 20.4.

Rails, Crakes & Coots *Rallidae*

Blackish Rail *Pardirallus nigricans nigricans*

(1) 1 heard WildSumaco Lodge 15.4.

Ecuadorian Rail *Rallus aequatorialis aequatorialis*

(1) 1 heard Papallacta Pass 9.4.

Andean Coot *Fulica ardesiaca atrura*

(1) Antisana Ecological Reserve 8.4.

Grey-breasted Crake (LC) *Laterallus exilis*

(1) 1 heard Rio Napo 19.4.

White-throated Crake *Laterallus albigularis albigularis*

(2) 1 heard Mindo Valley 5.4 and 1 heard 23 de Junio 7.4.

Trumpeters *Psophiidae*

Grey-winged Trumpeter *Psophia crepitans napensis*

(1) 3 Yasuni NP 19.4.

Limpkin *Aramidae*

Limpkin *Aramus guarauna guarauna*

(2) Sani Lodge 18.4 and Sani Lodge 20.4.

Grebes *Podicipedidae*

Silvery Grebe *Podiceps occipitalis juninensis*

(1) 2 Antisana Ecological Reserve 8.4.

Plovers *Charadriidae*

Southern Lapwing *Vanellus chilensis cayennensis*

(8) Oilbird site near Chontal, Cueva de los Tayos 3.4, Mindo Valley 5.4, 2 Laguna Papallacta 9.4, San Isidro (Ec) 11.4, Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 13.4, Sani Lodge 17.4 and Rio Napo 19.4.

Andean Lapwing (LC) *Vanellus resplendens*

(1) Antisana Ecological Reserve 8.4.

Collared Plover (LC) *Charadrius collaris*

(1) Rio Napo 19.4.

Pied Plover (LC) *Hoploxypterus cayanus*

(2) Rio Napo 17.4 and Rio Napo 19.4.

Jacanas *Jacanidae*

Wattled Jacana (LC) *Jacana jacana*

(1) Sani Lodge 20.4.

Seedsnipes *Thinocoridae*

Rufous-bellied Seedsnipe *Attagis gayi latreillii*

(1) 2 Papallacta Pass 9.4.

Sandpipers, Snipes *Scolopacidae*

Least Sandpiper (LC) *Calidris minutilla*

(1) Rio Napo 19.4.

Spotted Sandpiper (LC) *Actitis macularius*

(4) Laguna Papallacta 9.4, Cosanga 13.4, Coca 17.4 and Rio Napo 19.4.

Greater Yellowlegs (LC) *Tringa melanoleuca*

(1) Rio Napo 19.4.

Gulls, Terns, Skimmers *Laridae*

Andean Gull *Chroicocephalus serranus*

(1) Antisana Ecological Reserve 8.4.

Franklin's Gull *Leucophaeus pipixcan*

(1) Antisana Ecological Reserve 8.4.

Sunbittern *Eurypygidae*

Sunbittern (LC) *Eurypyga helias*

(3) Mindo Valley 5.4, Sani Lodge 18.4 and 1 heard Sani Lodge 20.4.

Anhingas, Darters *Anhingidae*

Anhinga *Anhinga anhinga anhinga*

(1) Sani Lodge 20.4.

Cormorants, Shags *Phalacrocoracidae*

Neotropic Cormorant *Nannopterum brasilianum brasilianum*

(5) Mindo Valley 5.4, Kapari Lodge 6.4, Laguna Papallacta 9.4, Cosanga 13.4 and Coca 17.4.

Ibises, Spoonbills *Threskiornithidae*

Andean Ibis (NT) *Theristicus branickii*

(1) 25 Antisana Ecological Reserve 8.4.

Roseate Spoonbill (LC) *Platalea ajaja*

(1) Rio Napo 17.4.

Herons, Bitterns *Ardeidae*

Rufescent Tiger Heron *Tigrisoma lineatum lineatum*

(4) Observed Sani Lodge 17-20.4.

Boat-billed Heron *Cochlearius cochlearius cochlearius*

(2) Sani Lodge 17.4 and Sani Lodge 18.4.

Least Bittern (LC) *Ixobrychus exilis*

(1) 1 heard Sani Lodge 18.4.

Striated Heron *Butorides striata striata*

(1) Sani Lodge 18.4.

Western Cattle Egret (LC) *Bubulcus ibis*

(7) Refugio Paz de las Aves 3.4, en route 4.4, Mindo Valley 5.4, Rio Silanche Bird Sanctuary 6.4, Loreto Canton 17.4, Sani Lodge 18.4 and Rio Napo 19.4.

Cocoi Heron (LC) *Ardea cocoi*

(1) Rio Napo 19.4.

Great Egret *Ardea alba egretta*

(1) Rio Napo 17.4.

Capped Heron (LC) *Pilherodius pileatus*

(4) Sani Lodge 17.4, Sani Lodge 18.4, Rio Napo 19.4 and Sani Lodge 20.4.

Snowy Egret (LC) *Egretta thula*

(3) Rio Napo 17.4, Rio Napo 19.4 and Sani Lodge 20.4.

Hoatzin *Opisthocomidae*

Hoatzin (LC) *Opisthocomus hoazin*

(4) Observed Sani Lodge 17-20.4.

New World Vultures *Cathartidae*

King Vulture (LC) *Sarcoramphus papa*

(1) 2 Sani Lodge 18.4.

Andean Condor (NT) *Vultur gryphus*

(1) Antisana Ecological Reserve 8.4.

Black Vulture (LC) *Coragyps atratus*

(15) en route 2.4, Oilbird site near Chontal, Cueva de los Tayos 3.4, Refugio Paz de las Aves 3.4, Mashpi Road 4.4, Mindo Valley 5.4, Kapari Lodge 6.4, Rio Silanche Bird Sanctuary 6.4, 23 de Junio 7.4, Nayón 8.4, Quito 8.4, San Isidro (Ec) 10.4, San Isidro (Ec) 11.4, La Brisa, Baeza 11.4, Loreto Road 14.4, WildSumaco Lodge 15.4, WildSumaco Lodge 16.4, Rio Napo 17.4, Rio Napo 19.4 and Sani Lodge 20.4.

Turkey Vulture (LC) *Cathartes aura*

(10) Oilbird site near Chontal, Cueva de los Tayos 3.4, Refugio Paz de las Aves 3.4, Mashpi Road 4.4, Mindo Valley 5.4, Kapari Lodge 6.4, Rio Silanche Bird Sanctuary 6.4, 23 de Junio 7.4, San Isidro (Ec) 11.4, Loreto Road 14.4, WildSumaco Lodge 15.4, WildSumaco Lodge 16.4 and Rio Napo 17.4.

Greater Yellow-headed Vulture (LC) *Cathartes melambrotus*

(3) Rio Napo 17.4, Sani Lodge 18.4 and Sani Lodge 20.4.

Ospreys *Pandionidae*

Western Osprey *Pandion haliaetus carolinensis*

(1) Sani Lodge 17.4.

Kites, Hawks, Eagles *Accipitridae*

Grey-headed Kite *Leptodon cayanensis cayanensis*

(3) 1 heard Septimo Paraiso, N of Mindo 5.4, Sani Lodge 18.4 and Sani Lodge 20.4.

Hook-billed Kite *Chondrohierax uncinatus uncinatus*

(1) Rio Silanche Bird Sanctuary 6.4.

Swallow-tailed Kite (LC) *Elanoides forficatus*

(8) Oilbird site near Chontal, Cueva de los Tayos 3.4, Refugio Paz de las Aves 3.4, Amagusa Reserve 4.4, Mashpi Road 4.4, Mindo Valley 5.4, Septimo Paraiso, N of Mindo 5.4, Kapari Lodge 6.4, 23 de Junio 7.4, Cocodrilos, Reserva Ecológica Antisana 12.4, WildSumaco Lodge 16.4 and Sani Lodge 20.4.

Crested Eagle (NT) *Morphnus guianensis*

(2) Sani Lodge 18.4 and Sani Lodge 20.4.

Black Hawk-Eagle *Spizaetus tyrannus serus*

(1) Sani Lodge 20.4.

Black-and-white Hawk-Eagle (LC) *Spizaetus melanoleucus*

(1) Mashpi Road 4.4.

Black-and-chestnut Eagle (EN) *Spizaetus isidori*

(1) 2 Bellavista Cloud Forest 2.4.

Plumbeous Kite (LC) *Ictinia plumbea*

(2) Sani Lodge 18.4 and Sani Lodge 20.4.

Snail Kite *Rostrhamus sociabilis sociabilis*

(1) Sani Lodge 18.4.

Slender-billed Kite (LC) *Helicolestes hamatus*

(4) Rio Napo 17.4 and observed Sani Lodge 18-20.4.

Crane Hawk (LC) *Geranospiza caerulescens*

(2) Sani Lodge 18.4 and Sani Lodge 20.4.

Slate-colored Hawk (LC) *Buteogallus schistaceus*

(2) Sani Lodge 18.4 and Sani Lodge 20.4.

Roadside Hawk *Rupornis magnirostris magnirostris*

(13) Bellavista Cloud Forest 2.4, Oilbird site near Chontal, Cueva de los Tayos 3.4, Mindo Valley 5.4, 23 de Junio 7.4, San Isidro (Ec) 11.4, Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 13.4, Cosanga 13.4, Loreto Road 14.4, WildSumaco Lodge 15.4, WildSumaco Lodge 16.4, Sani Lodge 17.4, Rio Napo 17.4, Sani Lodge 19.4 and Sani Lodge 20.4.

White-rumped Hawk (LC) *Parabuteo leucorrhous*

(1) San Isidro (Ec) 11.4.

Variable Hawk (LC) *Geranoaetus polyosoma*

(3) Antisana Ecological Reserve 8.4, Papallacta Pass 9.4 and Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Black-chested Buzzard-Eagle *Geranoaetus melanoleucus australis*

(2) Yanacocha 1.4, Restaurante Tambo Condor 8.4 and Antisana Ecological Reserve 8.4.

Owls *Strigidae*

Cloud-forest Pygmy Owl (VU) *Glaucidium nubicola*

(2) Refugio Paz de las Aves 3.4 and 1 heard Refugio Paz de las Aves 4.4.

Andean Pygmy Owl (LC) *Glaucidium jardinii*

(1) Yanacocha 1.4.

Ferruginous Pygmy Owl *Glaucidium brasilianum ucayalae*

(3) Up to 1 Sani Lodge 17-19.4.

Tropical Screech Owl *Megascops choliba cruciger*

(1) Sani Lodge 17.4.

Foothill Screech Owl *Megascops roraimae napensis*

(1) WildSumaco Lodge 16.4.

Tawny-bellied Screech Owl *Megascops watsonii watsonii*

(1) Sani Lodge 19.4.

Band-bellied Owl *Pulsatrix melanota melanota*

(1) WildSumaco Lodge 16.4.

Crested Owl (LC) *Lophostrix cristata*

(1) Kapari Lodge 6.4.

Black-banded Owl *Strix huhula huhula*

(4) Up to 1 San Isidro (Ec) 10-13.4.

Rufous-banded Owl *Strix albitarsis albitarsis*

(2) 1 heard San Isidro (Ec) 11.4 and 1 heard San Isidro (Ec) 12.4.

Trogons *Trogonidae*

Golden-headed Quetzal *Pharomachrus auriceps auriceps*

(4) Bellavista Cloud Forest 2.4, Oilbird site near Chontal, Cueva de los Tayos 3.4, 1 heard San Isidro (Ec) 11.4, 2 San Isidro (Ec) 12.4 and 1 heard La Brisa, Baeza 11.4.

Crested Quetzal (LC) *Pharomachrus antisianus*

(1) Cocodrilos, Reserva Ecológica Antisana 12.4.

Choco Trogon (LC) *Trogon comptus*

(3) 1 heard Mashpi Road 4.4, Rio Silanche Bird Sanctuary 6.4 and 23 de Junio 7.4.

Black-tailed Trogon *Trogon melanurus eumorphus*

(2) Sani Lodge 18.4 and Sani Lodge 20.4.

White-tailed Trogon (LC) *Trogon chionurus*

(2) 1 heard Mashpi Road 4.4 and Rio Silanche Bird Sanctuary 6.4.

Green-backed Trogon (LC) *Trogon viridis*

(3) 2 WildSumaco Lodge 16.4, Sani Lodge 17.4 and 1 heard Sani Lodge 20.4.

Amazonian Trogon *Trogon ramonianus ramonianus*

(1) 1 heard Sani Lodge 20.4.

Blue-crowned Trogon *Trogon curucui peruvianus*

(1) Sani Lodge 18.4.

Collared Trogon (LC) *Trogon collaris*

(3) WildSumaco Lodge 15.4, 1 heard WildSumaco Lodge 16.4 and 1 heard Sani Lodge 20.4.

Masked Trogon (LC) *Trogon personatus*

(9) 2 Yanacocha 1.4, Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, Refugio Paz de las Aves 4.4, 1 heard Mindo Valley 5.4, 1 heard 23 de Junio 7.4, San Isidro (Ec) 11.4, San Isidro (Ec) 12.4 and San Isidro (Ec) 14.4.

Kingfishers *Alcedinidae*

American Pygmy Kingfisher *Chloroceryle aenea aenea*

(1) Sani Lodge 19.4.

Green Kingfisher (LC) *Chloroceryle americana*

(2) Sani Lodge 18.4 and Sani Lodge 20.4.

Ringed Kingfisher *Megaceryle torquata torquata*

(4) Sani Lodge 17.4, Sani Lodge 18.4, Rio Napo 19.4 and Sani Lodge 20.4.

Motmots *Momotidae*

Rufous Motmot (LC) *Baryphthengus martii*

(1) Kapari Lodge 6.4 and Rio Silanche Bird Sanctuary 6.4.

Broad-billed Motmot (LC) *Electron platyrhynchum*

(1) Mashpi Road 4.4.

Jacamars *Galbulidae*

Brown Jacamar *Brachygalba lugubris caquetae*

(1) Rio Napo 19.4.

Coppery-chested Jacamar (VU) *Galbula pastazae*

(1) 2 Loreto Road 14.4.

White-chinned Jacamar *Galbula tombacea tombacea*

(1) Sani Lodge 19.4.

Great Jacamar (LC) *Jacamerops aureus*

(1) Yasuni NP 19.4.

Puffbirds *Bucconidae*

White-necked Puffbird *Notharchus hyperrhynchus hyperrhynchus*

(1) 3 Sani Lodge 18.4.

Collared Puffbird (LC) *Bucco capensis*

(1) Sani Lodge 20.4.

Barred Puffbird (LC) *Nystalus radiatus*

(2) 2 Mashpi Road 4.4 and Rio Silanche Bird Sanctuary 6.4.

Western Striolated Puffbird *Nystalus obamai*

(1) WildSumaco Lodge 16.4.

White-chested Puffbird (LC) *Malacoptila fusca*

(2) WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Black-streaked Puffbird (LC) *Malacoptila fulvogularis*

(1) WildSumaco Lodge 15.4.

White-whiskered Puffbird *Malacoptila panamensis poliopis*

(1) Rio Silanche Bird Sanctuary 6.4.

Brown Nunlet (LC) *Nonnula brunnea*

(1) 2 WildSumaco Lodge 16.4.

Black-fronted Nunbird *Monasa nigrifrons nigrifrons*

(2) Sani Lodge 17.4 and Sani Lodge 18.4.

White-fronted Nunbird *Monasa morphoeus peruana*

(1) Sani Lodge 20.4.

Swallow-winged Puffbird *Chelidoptera tenebrosa tenebrosa*

(2) Rio Napo 17.4 and Rio Napo 19.4.

New World Barbets *Capitonidae*

Scarlet-crowned Barbet (LC) *Capito aurovirens*

(2) Sani Lodge 18.4 and Sani Lodge 20.4.

Orange-fronted Barbet (NT) *Capito squamatus*

(2) Mashpi Road 4.4 and Rio Silanche Bird Sanctuary 6.4.

Gilded Barbet *Capito auratus punctatus*

(5) 1 heard WildSumaco Lodge 15.4, WildSumaco Lodge 16.4, Sani Lodge 17.4, 1 heard Yasuni NP 19.4 and Sani Lodge 20.4.

Red-headed Barbet (LC) *Eubucco bourcierii*

(7) Refugio Paz de las Aves 3.4, Mashpi Road 4.4, Kapari Lodge 6.4, Kapari Lodge 7.4, Loreto Road 14.4, 4 WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Toucan Barbets *Semnornithidae*

Toucan Barbet *Semnornis ramphastinus ramphastinus*

(3) 2 Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4 and Amagusa Reserve 4.4.

Toucans *Ramphastidae*

Crimson-rumped Toucanet *Aulacorhynchus haematopygus sexnotatus*

(2) Refugio Paz de las Aves 3.4 and Amagusa Reserve 4.4.

Chestnut-eared Aracari *Pteroglossus castanotis castanotis*

(3) Loreto Road 14.4, WildSumaco Lodge 15.4 and Rio Napo 19.4.

Many-banded Aracari (LC) *Pteroglossus pluricinctus*

(1) Sani Lodge 18.4.

Pale-mandibled Aracari (LC) *Pteroglossus erythropygius*

(5) Refugio Paz de las Aves 3.4, Mashpi Road 4.4, Mindo Valley 5.4, Kapari Lodge 6.4, Rio Silanche Bird Sanctuary 6.4 and 23 de Junio 7.4.

Golden-collared Toucanet *Selenidera reinwardtii reinwardtii*

(1) 1 heard Sani Lodge 20.4.

Grey-breasted Mountain Toucan (NT) *Andigena hypoglauca*

(1) Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Plate-billed Mountain Toucan (NT) *Andigena laminirostris*

(1) Bellavista Cloud Forest 2.4.

Black-billed Mountain Toucan (LC) *Andigena nigrirostris*

(2) 1 heard Guacamayos Ridge 12.4 and 1 heard Guacamayos Ridge 14.4.

Channel-billed Toucan *Ramphastos vitellinus culminatus*

(3) Wildsumaco Rd, downhill 14.4, Sani Lodge 18.4 and Sani Lodge 20.4.

Choco Toucan (LC) *Ramphastos brevis*

(2) Rio Silanche Bird Sanctuary 6.4 and 23 de Junio 7.4.

White-throated Toucan (VU) *Ramphastos tucanus*

(4) 1 heard Sani Lodge 17.4, Sani Lodge 18.4, 1 heard Yasuni NP 19.4 and Sani Lodge 20.4.

Yellow-throated Toucan (NT) *Ramphastos ambiguus*

(5) Mindo Valley 5.4, 1 heard Rio Silanche Bird Sanctuary 6.4, 23 de Junio 7.4, WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Woodpeckers *Picidae*

Lafresnaye's Piculet *Picumnus lafresnayi lafresnayi*

(4) Cocodrilos, Reserva Ecológica Antisana 12.4, Sarayacu Pumping-station 13.4, Wildsumaco Rd, downhill 14.4 and WildSumaco Lodge 16.4.

Olivaceous Piculet *Picumnus olivaceus harterti*

(1) Oilbird site near Chontal, Cueva de los Tayos 3.4.

Yellow-tufted Woodpecker (LC) *Melanerpes cruentatus*

(6) 4 WildSumaco Lodge 15.4, 1 heard WildSumaco Lodge 16.4 and observed Sani Lodge 17-20.4.

Black-cheeked Woodpecker (LC) *Melanerpes pucherani*

(3) Oilbird site near Chontal, Cueva de los Tayos 3.4, Mashpi Road 4.4 and Rio Silanche Bird Sanctuary 6.4.

Little Woodpecker *Veniliornis passerinus agilis*

(2) 1 heard WildSumaco Lodge 16.4 and Rio Napo 19.4.

Scarlet-backed Woodpecker (LC) *Veniliornis callonotus*

(1) Oilbird site near Chontal, Cueva de los Tayos 3.4.

Red-rumped Woodpecker *Veniliornis kirkii cecilii*

(1) Rio Silanche Bird Sanctuary 6.4.

Smoky-brown Woodpecker (LC) *Leuconotopicus fumigatus*

(3) 1 heard Refugio Paz de las Aves 3.4, Septimo Paraiso, N of Mindo 5.4 and 1 heard Cocodrilos, Reserva Ecológica Antisana 12.4.

Golden-olive Woodpecker (LC) *Colaptes rubiginosus*

(5) 1 heard Oilbird site near Chontal, Cueva de los Tayos 3.4, Septimo Paraiso, N of Mindo 5.4, Kapari Lodge 6.4, WildSumaco Lodge 15.4 and 1 heard WildSumaco Lodge 16.4.

Scaly-breasted Woodpecker *Celeus grammicus verreauxii*

(1) Sani Lodge 20.4.

Ringed Woodpecker *Celeus torquatus occidentalis*

(1) 1 heard Sani Lodge 20.4.

Lineated Woodpecker *Dryocopus lineatus*

(3) 1 heard Septimo Paraiso, N of Mindo 5.4, Rio Silanche Bird Sanctuary 6.4 and WildSumaco Lodge 16.4.

Powerful Woodpecker *Campephilus pollens pollens*

(2) 1 heard San Isidro (Ec) 11.4 and San Isidro (Ec) 12.4.

Crimson-crested Woodpecker *Campephilus melanoleucos melanoleucos*

(5) Loreto Road 14.4, WildSumaco Lodge 16.4, up to 1 Sani Lodge 17-19.4 and 1 heard Yasuni NP 19.4.

Guayaquil Woodpecker (NT) *Campephilus gayaquilensis*

(1) 1 heard 23 de Junio 7.4.

Caracaras, Falcons *Falconidae*

Black Caracara (LC) *Daptrius ater*

(1) Loreto Road 14.4.

Red-throated Caracara (LC) *Ibycter americanus*

(1) 1 heard Yasuni NP 19.4.

Carunculated Caracara (LC) *Phalcoboenus carunculatus*

(3) 2 Yanacocha 1.4, Antisana Ecological Reserve 8.4 and Papallacta Pass 9.4.

Yellow-headed Caracara (LC) *Milvago chimachima*

(3) Wildsumaco Rd, downhill 14.4, Rio Napo 17.4 and Rio Napo 19.4.

Laughing Falcon (LC) *Herpetotheres cachinnans*

(4) 1 heard Rio Silanche Bird Sanctuary 6.4, 23 de Junio 7.4, Sani Lodge 17.4 and Sani Lodge 18.4.

Barred Forest Falcon (LC) *Micrastur ruficollis*

(1) 1 heard Refugio Paz de las Aves 3.4.

Collared Forest Falcon (LC) *Micrastur semitorquatus*

(1) WildSumaco Lodge 15.4.

American Kestrel (LC) *Falco sparverius*

(1) Quito 8.4 and Antisana Ecological Reserve 8.4.

Bat Falcon (LC) *Falco rufigularis*

(2) Sani Lodge 17.4 and Sani Lodge 18.4.

African & New World Parrots *Psittacidae*

Barred Parakeet *Bolborhynchus lineola tigrinus*

(4) 1 heard Baeza 11.4, 1 heard Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 14.4 and WildSumaco Lodge 16.4.

Cobalt-winged Parakeet *Brotogeris cyanoptera cyanoptera*

(2) 1 heard Yasuni NP 19.4 and Sani Lodge 20.4.

Rose-faced Parrot (LC) *Pyrilia pulchra*

(2) Amagusa Reserve 4.4 and Rio Silanche Bird Sanctuary 6.4.

Red-billed Parrot (LC) *Pionus sordidus*

(6) Bellavista Cloud Forest 2.4, Septimo Paraiso, N of Mindo 5.4, Baeza 11.4, Guacamayos Ridge 12.4, Guacamayos Ridge 14.4 and WildSumaco Lodge 16.4.

White-capped Parrot (LC) *Pionus seniloides*

(1) San Isidro (Ec) 13.4.

Blue-headed Parrot (LC) *Pionus menstruus*

(4) Wildsumaco Rd, downhill 14.4, WildSumaco Lodge 15.4, WildSumaco Lodge 16.4 and Sani Lodge 20.4.

Bronze-winged Parrot (LC) *Pionus chalcopterus*

(4) Oilbird site near Chontal, Cueva de los Tayos 3.4, Mashpi Road 4.4, Rio Silanche Bird Sanctuary 6.4 and 23 de Junio 7.4.

Yellow-crowned Amazon *Amazona ochrocephala nattereri*

(1) Sani Lodge 19.4.

Scaly-naped Amazon *Amazona mercenarius canipalliata*

(1) Refugio Paz de las Aves 3.4.

Southern Mealy Amazon (NT) *Amazona farinosa*

(3) 1 heard Sani Lodge 17.4, Sani Lodge 18.4 and Sani Lodge 20.4.

Orange-winged Amazon (LC) *Amazona amazonica*

(3) Observed Sani Lodge 18-20.4.

Black-headed Parrot *Pionites melanocephalus pallidus*

(1) Sani Lodge 18.4.

Maroon-tailed Parakeet (LC) *Pyrrhura melanura*

(3) Amagusa Reserve 4.4, 23 de Junio 7.4 and WildSumaco Lodge 15.4.

Dusky-headed Parakeet (LC) *Aratinga weddellii*

(1) Rio Napo 19.4.

Red-bellied Macaw (LC) *Orthopsittaca manilatus*

(4) Sani Lodge 17.4, Sani Lodge 18.4, Rio Napo 19.4 and Sani Lodge 20.4.

Blue-and-yellow Macaw (LC) *Ara ararauna*

(3) Sani Lodge 18.4, Rio Napo 19.4 and Sani Lodge 20.4.

Chestnut-fronted Macaw (LC) *Ara severus*

(3) WildSumaco Lodge 15.4, Sani Lodge 19.4 and Sani Lodge 20.4.

Military Macaw *Ara militaris militaris*

(2) WildSumaco Lodge 15.4 and 1 heard WildSumaco Lodge 16.4.

Scarlet Macaw *Ara macao macao*

(1) Yasuni NP 19.4.

White-eyed Parakeet *Psittacara leucophthalmus callogenys*

(3) Loreto Road 14.4, WildSumaco Lodge 16.4 and Sani Lodge 20.4.

Ovenbirds *Furnariidae*

Scaly-throated Leaftosser *Sclerurus guatemalensis salvini*

(1) Rio Silanche Bird Sanctuary 6.4.

Olivaceous Woodcreeper (LC) *Sittasomus griseicapillus*

(2) Sarayacu Pumping-station 13.4 and WildSumaco Lodge 15.4.

Tyrannine Woodcreeper *Dendrocincla tyrannina tyrannina*

(2) Refugio Paz de las Aves 3.4 and Guango Lodge 9.4.

Plain-brown Woodcreeper (LC) *Dendrocincla fuliginosa*

(5) 1 heard Oilbird site near Chontal, Cueva de los Tayos 3.4, Mindo Valley 5.4, Septimo Paraiso, N of Mindo 5.4, WildSumaco Lodge 15.4, WildSumaco Lodge 16.4 and 1 heard Sani Lodge 17.4.

Wedge-billed Woodcreeper (LC) *Glyphorynchus spirurus*

(3) Amagusa Reserve 4.4, Mashpi Road 4.4, 23 de Junio 7.4 and 1 heard Sani Lodge 20.4.

Long-billed Woodcreeper (LC) *Nasica longirostris*

(2) Sani Lodge 18.4 and Sani Lodge 20.4.

Strong-billed Woodcreeper (LC) *Xiphocolaptes promeropirhynchus*

(4) Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, Guango Lodge 9.4 and San Isidro (Ec) 11.4.

Buff-throated Woodcreeper *Xiphorhynchus guttatus guttatoides*

(2) Sani Lodge 17.4 and Sani Lodge 20.4.

Black-striped Woodcreeper *Xiphorhynchus lachrymosus lachrymosus*

(1) 1 heard Rio Silanche Bird Sanctuary 6.4.

Spotted Woodcreeper *Xiphorhynchus erythropygius aequatorialis*

(3) Mashpi Road 4.4, Septimo Paraiso, N of Mindo 5.4 and 1 heard Rio Silanche Bird Sanctuary 6.4.

Olive-backed Woodcreeper *Xiphorhynchus triangularis triangularis*

(2) San Isidro (Ec) 11.4 and San Isidro (Ec) 14.4.

Straight-billed Woodcreeper *Dendroplex picus peruvianus*

(1) Sani Lodge 18.4.

Streak-headed Woodcreeper (LC) *Lepidocolaptes souleyetii*

(1) Rio Silanche Bird Sanctuary 6.4.

Montane Woodcreeper (LC) *Lepidocolaptes lacrymiger*

(6) Bellavista Cloud Forest 2.4, Guango Lodge 9.4, observed San Isidro (Ec) 11-14.4, Baeza 11.4 and Cocodrilos, Reserva Ecológica Antisana 12.4.

Streaked Xenops *Xenops rutilans*

(2) Baeza 11.4 and WildSumaco Lodge 15.4.

Pacific Tuftedcheek (LC) *Pseudocolaptes johnsoni*

(1) Amagusa Reserve 4.4.

Streaked Tuftedcheek *Pseudocolaptes boissonneautii*

(3) Guango Lodge 9.4, Guango Lodge 10.4 and San Isidro (Ec) 12.4.

Pacific Hornero (LC) *Furnarius cinnamomeus*

(3) Oilbird site near Chontal, Cueva de los Tayos 3.4, Mashpi Road 4.4 and Kapari Lodge 6.4.

Chestnut-winged Cinclodes *Cinclodes albidiventris albidiventris*

(2) Antisana Ecological Reserve 8.4 and Papallacta Pass 9.4.

Stout-billed Cinclodes *Cinclodes excelsior excelsior*

(2) Antisana Ecological Reserve 8.4 and Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Montane Foliage-gleaner *Anabacerthia striaticollis montana*

(3) Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 13.4 and WildSumaco Lodge 16.4.

Scaly-throated Foliage-gleaner *Anabacerthia variegaticeps temporalis*

(1) Septimo Paraiso, N of Mindo 5.4.

Rufous-tailed Foliage-gleaner (LC) *Anabacerthia ruficaudata*

(2) WildSumaco Lodge 15.4 and 1 heard WildSumaco Lodge 16.4.

Lineated Foliage-gleaner (LC) *Syndactyla subalaris*

(2) 1 heard Amagusa Reserve 4.4, Mindo Valley 5.4 and Septimo Paraiso, N of Mindo 5.4.

Buff-fronted Foliage-gleaner *Dendroma rufa*

(5) Mashpi Road 4.4, Septimo Paraiso, N of Mindo 5.4, Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 13.4 and WildSumaco Lodge 16.4.

Uniform Treehunter (LC) *Thripadectes ignobilis*

(1) Amagusa Reserve 4.4.

Black-billed Treehunter *Thripadectes melanorhynchus melanorhynchus*

(2) 1 heard Loreto Road 14.4 and WildSumaco Lodge 15.4.

Striped Treehunter (LC) *Thripadectes holostictus*

(1) Bellavista Cloud Forest 2.4.

Western Woodhaunter *Automolus virgatus assimilis*

(2) 1 heard Mashpi Road 4.4 and Rio Silanche Bird Sanctuary 6.4.

Spotted Barbtail *Premnoplex brunnescens brunnescens*

(1) Amagusa Reserve 4.4.

Pearled Treerunner *Margarornis squamiger perlatus*

(6) Yanacocha 1.4, Bellavista Cloud Forest 2.4, Papallacta Pass 9.4, Guango Lodge 9.4, Guango Lodge 10.4, San Isidro (Ec) 11.4 and San Isidro (Ec) 14.4.

Andean Tit-Spinetail *Leptasthenura andicola andicola*

(2) Antisana Ecological Reserve 8.4 and Papallacta Pass 9.4.

White-browed Spinetail *Hellmayrea gularis gularis*

(2) Yanacocha 1.4 and 1 heard Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Many-striped Canastero *Asthenes flammulata flammulata*

(1) Antisana Ecological Reserve 8.4.

White-chinned Thistletail *Asthenes fuliginosa fuliginosa*

(2) Papallacta Pass 9.4 and 1 heard Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Red-faced Spinetail *Cranioleuca erythrops erythrops*

(3) Bellavista Cloud Forest 2.4, Oilbird site near Chontal, Cueva de los Tayos 3.4, Refugio Paz de las Aves 3.4, Mindo Valley 5.4 and Septimo Paraiso, N of Mindo 5.4.

Ash-browed Spinetail *Cranioleuca curtata cisandina*

(2) Sarayacu Pumping-station 13.4 and 1 heard WildSumaco Lodge 15.4.

White-bellied Spinetail (LC) *Mazaria propinqua*

(1) 1 heard Rio Napo 19.4.

Slaty Spinetail (LC) *Synallaxis brachyura*

(2) 1 heard Oilbird site near Chontal, Cueva de los Tayos 3.4 and 1 heard Kapari Lodge 6.4.

Dark-breasted Spinetail (LC) *Synallaxis albigularis*

(1) 1 heard WildSumaco Lodge 15.4.

Azara's Spinetail (LC) *Synallaxis azarae*

(3) Yanacocha 1.4, San Isidro (Ec) 11.4 and San Isidro (Ec) 14.4.

Rufous Spinetail *Synallaxis unirufa unirufa*

(2) 1 heard Bellavista Cloud Forest 2.4 and Guango Lodge 9.4.

Antbirds *Thamnophilidae*

Rufous-rumped Antwren *Euchrepomis callinota callinota*

(1) Amagusa Reserve 4.4.

Russet Antshrike (LC) *Thamnistes anabatinus*

(3) Mashpi Road 4.4, Rio Silanche Bird Sanctuary 6.4 and 1 heard WildSumaco Lodge 15.4.

Dot-winged Antwren (LC) *Microrhopias quixensis*

(1) Rio Silanche Bird Sanctuary 6.4.

Checker-throated Stipplethroat (LC) *Epinecrophylla fulviventris*

(1) 1 heard Rio Silanche Bird Sanctuary 6.4.

Ornate Stipplethroat *Epinecrophylla ornata saturata*

(2) Loreto Road 14.4 and WildSumaco Lodge 15.4.

Pygmy Antwren (LC) *Myrmotherula brachyura*

(2) 1 heard Sani Lodge 18.4 and 1 heard Sani Lodge 20.4.

Pacific Antwren (LC) *Myrmotherula pacifica*

(1) Oilbird site near Chontal, Cueva de los Tayos 3.4.

White-flanked Antwren (LC) *Myrmotherula axillaris*

(2) 2 Rio Silanche Bird Sanctuary 6.4 and Sani Lodge 20.4.

Slaty Antwren (LC) *Myrmotherula schisticolor*

(1) 2 Septimo Paraiso, N of Mindo 5.4.

Black-and-white Antbird (LC) *Myrmochanes hemileucus*

(1) Rio Napo 19.4.

Dusky-throated Antshrike *Thamnomanes ardesiacus ardesiacus*

(1) Sani Lodge 20.4.

Yellow-breasted Antwren *Herpsilochmus axillaris aequatorialis*

(1) WildSumaco Lodge 15.4.

Rusty-winged Antwren *Herpsilochmus frater frater*

(1) 1 heard WildSumaco Lodge 16.4.

Plain Antvireo (LC) *Dysithamnus mentalis*

(1) WildSumaco Lodge 15.4.

Lined Antshrike (VU) *Thamnophilus tenuepunctatus*

(3) 1 heard Sarayacu Pumping-station 13.4, Loreto Road 14.4 and WildSumaco Lodge 16.4.

Cocha Antshrike (NT) *Thamnophilus praecox*

(1) Sani Lodge 19.4.

White-shouldered Antshrike *Thamnophilus aethiops aethiops*

(1) 1 heard WildSumaco Lodge 15.4.

Uniform Antshrike (LC) *Thamnophilus unicolor*

(1) 1 heard Septimo Paraiso, N of Mindo 5.4.

Plain-winged Antshrike *Thamnophilus schistaceus capitalis*

(4) 1 heard WildSumaco Lodge 15.4, 1 heard Sani Lodge 17.4, 1 heard Sani Lodge 19.4 and Sani Lodge 20.4.

Black-crowned Antshrike *Thamnophilus atrinucha atrinucha*

(1) Oilbird site near Chontal, Cueva de los Tayos 3.4.

Fasciated Antshrike (LC) *Cymbilaimus lineatus*

(1) Sani Lodge 17.4.

Great Antshrike (LC) *Taraba major*

(2) Kapari Lodge 6.4 and Kapari Lodge 7.4.

White-cheeked Antbird *Gymnopithys leucaspis castaneus*

(1) 1 heard WildSumaco Lodge 15.4.

Common Scale-backed Antbird (LC) *Willisornis poecilinotus*

(2) 1 heard WildSumaco Lodge 15.4 and Sani Lodge 20.4.

Streak-headed Antbird (LC) *Drymophila striaticeps*

(2) San Isidro (Ec) 11.4 and Guacamayos Ridge 12.4.

Peruvian Warbling Antbird *Hypocnemis peruviana saturata*

(2) 1 heard Sani Lodge 17.4 and Sani Lodge 20.4.

Blackish Antbird *Cercomacroides nigrescens aequatorialis*

(1) 2 WildSumaco Lodge 16.4.

Grey Antbird *Cercomacra cinerascens cinerascens*

(1) Sani Lodge 20.4.

Spot-backed Antbird (LC) *Hylophylax naevius*

(1) 1 heard WildSumaco Lodge 16.4.

Dot-backed Antbird (LC) *Hylophylax punctulatus*

(2) Sani Lodge 19.4 and 1 heard Sani Lodge 20.4.

Silvered Antbird *Sclateria naevia argentata*

(1) 1 heard Sani Lodge 20.4.

Plumbeous Antbird (LC) *Myrmelastes hyperythrus*

(1) 1 heard Sani Lodge 19.4.

Spot-winged Antbird *Myrmelastes leucostigma subplumbeus*

(1) Yasuni NP 19.4.

Chestnut-backed Antbird *Poliocrania exsul maculifer*

(2) 1 heard Mashpi Road 4.4 and Rio Silanche Bird Sanctuary 6.4.

Esmeraldas Antbird (LC) *Sipia nigricauda*

(1) Amagusa Reserve 4.4.

Black-faced Antbird *Myrmoborus myotherinus elegans*

(2) 2 WildSumaco Lodge 15.4 and 1 heard Sani Lodge 20.4.

Western Fire-eye *Pyriglena maura*

(3) Baeza 11.4, WildSumaco Lodge 15.4 and 1 heard WildSumaco Lodge 16.4.

Zeledon's Antbird *Percnostola zeledoni berlepschi*

(1) 2 Mindo Valley 5.4.

Antthrushes *Formicariidae*

Rufous-capped Antthrush *Formicarius colma nigrifrons*

(1) 1 heard Sani Lodge 20.4.

Rufous-breasted Antthrush (LC) *Formicarius rufipectus*

(3) 1 heard Refugio Paz de las Aves 3.4, 1 heard Refugio Paz de las Aves 4.4 and 1 heard Septimo Paraiso, N of Mindo 5.4.

Short-tailed Antthrush *Chamaeza campanisona punctigula*

(2) 1 heard WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Barred Antthrush *Chamaeza mollissima mollissima*

(1) Guacamayos Ridge 12.4.

Antpittas *Grallariidae*

Giant Antpitta (VU) *Grallaria gigantea*

(1) Refugio Paz de las Aves 3.4.

Moustached Antpitta *Grallaria alleni andaquiensis*

(2) 1 heard Refugio Paz de las Aves 3.4 and 1 heard Guacamayos Ridge 12.4.

Scaled Antpitta *Grallaria guatimalensis regulus*

(1) 1 heard Oilbird site near Chontal, Cueva de los Tayos 3.4.

Plain-backed Antpitta (LC) *Grallaria haplonota*

(1) 2 WildSumaco Lodge 15.4.

Chestnut-crowned Antpitta (LC) *Grallaria ruficapilla*

(3) 1 heard Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4 and 1 heard Guacamayos Ridge 12.4.

Chestnut-naped Antpitta (LC) *Grallaria nuchalis*

(2) 1 heard Yanacocha 1.4 and 1 heard Guango Lodge 10.4.

Yellow-breasted Antpitta (LC) *Grallaria flavotincta*

(1) Refugio Paz de las Aves 3.4.

White-bellied Antpitta *Grallaria hypoleuca castanea*

(2) San Isidro (Ec) 11.4 and San Isidro (Ec) 14.4.

Equatorial Antpitta *Grallaria saturata*

(2) Yanacocha 1.4 and 1 heard Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Tawny Antpitta *Grallaria quitensis quitensis*

(4) 1 heard Yanacocha 1.4, Antisana Ecological Reserve 8.4, Papallacta Pass 9.4 and 1 heard Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

White-lored Antpitta *Hylopezus fulviventris fulviventris*

(1) Sani Lodge 19.4.

Thrush-like Antpitta *Myrmothera campanisona signata*

(1) 1 heard Yasuni NP 19.4.

Ochre-breasted Antpitta (NT) *Grallaricula flavirostris*

(2) Refugio Paz de las Aves 3.4 and WildSumaco Lodge 15.4.

Peruvian Antpitta (NT) *Grallaricula peruviana*

(2) San Isidro (Ec) 12.4 and San Isidro (Ec) 13.4.

Slaty-crowned Antpitta (LC) *Grallaricula nana*

(2) Guacamayos Ridge 12.4 and 1 heard Guacamayos Ridge 14.4.

Gnateaters *Conopophagidae*

Chestnut-crowned Gnateater (LC) *Conopophaga castaneiceps*

(2) WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Tapaculos *Rhinocryptidae*

Ocellated Tapaculo *Acropternis orthonyx infuscatus*

(1) 1 heard Bellavista Cloud Forest 2.4.

Rusty-belted Tapaculo *Liosceles thoracicus erithacus*

(1) Yasuni NP 19.4.

Ash-colored Tapaculo (LC) *Myornis senilis*

(1) 1 heard Yanacocha 1.4.

Paramo Tapaculo (LC) *Scytalopus opacus*

(2) Papallacta Pass 9.4 and 1 heard Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

White-crowned Tapaculo *Scytalopus atratus atratus*

(2) 1 heard WildSumaco Lodge 15.4 and 1 heard WildSumaco Lodge 16.4.

Long-tailed Tapaculo (LC) *Scytalopus micropterus*

(3) 1 heard San Isidro (Ec) 11.4, San Isidro (Ec) 12.4 and 1 heard Cocodrilos, Reserva Ecológica Antisana 13.4.

Blackish Tapaculo (LC) *Scytalopus latrans*

(4) Yanacocha 1.4, 1 heard Guango Lodge 10.4, 1 heard Guacamayos Ridge 12.4 and San Isidro (Ec) 13.4.

Narino Tapaculo (LC) *Scytalopus vicinior*

(2) Refugio Paz de las Aves 3.4 and 1 heard Amagusa Reserve 4.4.

Spillmann's Tapaculo (LC) *Scytalopus spillmanni*

(3) 1 heard Yanacocha 1.4, Bellavista Cloud Forest 2.4 and 1 heard Guacamayos Ridge 12.4.

Tyrant Flycatchers, Calyptura *Tyrannidae*

Wing-barred Piprites *Piprites chloris tschudii*

(2) WildSumaco Lodge 15.4 and 1 heard WildSumaco Lodge 16.4.

Sooty-headed Tyrannulet (LC) *Phyllomyias griseiceps*

(1) Oilbird site near Chontal, Cueva de los Tayos 3.4.

Ashy-headed Tyrannulet (LC) *Phyllomyias cinereiceps*

(2) 1 heard Refugio Paz de las Aves 3.4 and Cocodrilos, Reserva Ecológica Antisana 12.4.

Tawny-rumped Tyrannulet (LC) *Phyllomyias uropygialis*

(1) Yanacocha 1.4.

Yellow-crowned Tyrannulet (LC) *Tyrannulus elatus*

(1) Sani Lodge 18.4.

Grey Elaenia (LC) *Myiopagis caniceps*

(1) Sani Lodge 20.4.

Foothill Elaenia *Myiopagis olallai olallai*

(1) WildSumaco Lodge 15.4.

Yellow-crowned Elaenia (LC) *Myiopagis flavivertex*

(2) 1 heard Sani Lodge 18.4 and 1 heard Sani Lodge 19.4.

Yellow-bellied Elaenia *Elaenia flavogaster semipagana*

(1) Oilbird site near Chontal, Cueva de los Tayos 3.4.

Small-billed Elaenia (LC) *Elaenia parvirostris*

(2) Cocodrilos, Reserva Ecológica Antisana 13.4 and WildSumaco Lodge 16.4.

Coopmans's Elaenia (LC) *Elaenia brachyptera*

(2) Mindo Valley 5.4 and 2 WildSumaco Lodge 15.4.

Brown-capped Tyrannulet (LC) *Ornithion brunneicapillus*

(1) Rio Silanche Bird Sanctuary 6.4.

Southern Beardless Tyrannulet (LC) *Camptostoma obsoletum*

(2) Oilbird site near Chontal, Cueva de los Tayos 3.4 and Nayón 8.4.

White-throated Tyrannulet *Mecocerculus leucophrys rufomarginatus*

(3) Yanacocha 1.4, Papallacta Pass 9.4 and Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

White-tailed Tyrannulet (LC) *Mecocerculus poecilocercus*

(2) Bellavista Cloud Forest 2.4 and San Isidro (Ec) 11.4.

Sulphur-bellied Tyrannulet (LC) *Mecocerculus minor*

(4) San Isidro (Ec) 11.4, Guacamayos Ridge 12.4, 1 heard San Isidro (Ec) 13.4 and Guacamayos Ridge 14.4.

White-banded Tyrannulet *Mecocerculus stictopterus stictopterus*

(2) Yanacocha 1.4 and Guango Lodge 10.4.

Torrent Tyrannulet *Serpophaga cinerea cinerea*

(4) Mindo Valley 5.4, Bermejo 10.4, San Isidro (Ec) 11.4 and Cosanga 13.4.

River Tyrannulet *Serpophaga hypoleuca hypoleuca*

(1) Rio Napo 19.4.

Yellow Tyrannulet (LC) *Capsiempis flaveola*

(1) Oilbird site near Chontal, Cueva de los Tayos 3.4.

Bronze-olive Pygmy Tyrant (LC) *Pseudotriccus pelzelni*

(2) Amagusa Reserve 4.4 and Guacamayos Ridge 12.4.

Rufous-headed Pygmy Tyrant (LC) *Pseudotriccus ruficeps*

(2) Yanacocha 1.4 and Guacamayos Ridge 12.4.

Slender-footed Tyrannulet *Zimmerius gracilipes gracilipes*

(2) Sani Lodge 18.4 and Sani Lodge 20.4.

Golden-faced Tyrannulet (LC) *Zimmerius chrysops*

(6) La Brisa, Baeza 11.4, Baeza 11.4, Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 13.4, Sarayacu Pumping-station 13.4, Wildsumaco Rd, downhill 14.4, WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Choco Tyrannulet (LC) *Zimmerius albigularis*

(3) Pacto--town 4.4, Mindo Valley 5.4, Kapari Lodge 6.4 and Rio Silanche Bird Sanctuary 6.4.

Marble-faced Bristle Tyrant *Pogonotriccus ophthalmicus ophthalmicus*

(2) Baeza 11.4 and WildSumaco Lodge 15.4.

Ecuadorian Tyrannulet (NT) *Phylloscartes gualaquizae*

(2) 1 heard WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Streak-necked Flycatcher (LC) *Mionectes striaticollis*

(3) Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4 and Cocodrilos, Reserva Ecológica Antisana 12.4.

Slaty-capped Flycatcher *Leptopogon superciliaris superciliaris*

(7) Oilbird site near Chontal, Cueva de los Tayos 3.4, Mashpi Road 4.4, Mindo Valley 5.4, Septimo Paraiso, N of Mindo 5.4, Rio Silanche Bird Sanctuary 6.4, Sarayacu Pumping-station 13.4, Loreto Road 14.4 and WildSumaco Lodge 15.4.

Rufous-breasted Flycatcher (LC) *Leptopogon rufipectus*

(2) Guango Lodge 10.4 and Baeza 11.4.

Flavescent Flycatcher *Myiophobus flavicans flavicans*

(2) 1 heard Bellavista Cloud Forest 2.4 and Refugio Paz de las Aves 3.4.

Olive-chested Flycatcher (LC) *Myiophobus cryptoxanthus*

(1) Wildsumaco Rd, downhill 14.4.

Handsome Flycatcher (LC) *Nephelomyias pulcher*

(1) Guacamayos Ridge 12.4.

Ornate Flycatcher (LC) *Myiotriccus ornatus*

(6) Amagusa Reserve 4.4, 1 heard Septimo Paraiso, N of Mindo 5.4, 23 de Junio 7.4, Cocodrilos, Reserva Ecológica Antisana 12.4, WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Black-capped Pygmy Tyrant (LC) *Myiornis atricapillus*

(1) Rio Silanche Bird Sanctuary 6.4.

Short-tailed Pygmy Tyrant *Myiornis ecaudatus ecaudatus*

(1) 1 heard Sani Lodge 17.4.

Scale-crested Pygmy Tyrant (LC) *Lophotriccus pileatus*

(5) 1 heard Oilbird site near Chontal, Cueva de los Tayos 3.4, 1 heard Mashpi Road 4.4, Septimo Paraiso, N of Mindo 5.4, WildSumaco Lodge 15.4 and 1 heard WildSumaco Lodge 16.4.

Rufous-crowned Tody-Flycatcher (LC) *Poecilotriccus ruficeps*

(2) San Isidro (Ec) 11.4 and San Isidro (Ec) 14.4.

Common Tody-Flycatcher (LC) *Todirostrum cinereum*

(4) Amagusa Reserve 4.4, Sarayacu Pumping-station 13.4, Cocodrilos, Reserva Ecológica Antisana 13.4, Loreto Road 14.4, Wildsumaco Rd, downhill 14.4 and WildSumaco Lodge 15.4.

Yellow-browed Tody-Flycatcher *Todirostrum chrysocrotaphum guttatum*

(1) 1 heard Sani Lodge 19.4.

Black-headed Tody-Flycatcher (LC) *Todirostrum nigriceps*

(1) Rio Silanche Bird Sanctuary 6.4.

Yellow-olive Flatbill (LC) *Tolmomyias sulphurescens*

(1) WildSumaco Lodge 16.4.

Zimmer's Flatbill *Tolmomyias assimilis obscuriceps*

(1) Sani Lodge 20.4.

Yellow-margined Flatbill (LC) *Tolmomyias flavotectus*

(1) Rio Silanche Bird Sanctuary 6.4.

Grey-crowned Flatbill *Tolmomyias poliocephalus poliocephalus*

(2) Sani Lodge 18.4 and 1 heard Sani Lodge 19.4.

Olive-faced Flatbill *Tolmomyias viridiceps viridiceps*

(1) 1 heard Loreto Road 14.4.

Cinnamon Flycatcher *Pyrrhomyias cinnamomeus pyrrhopterus*

(7) Bellavista Cloud Forest 2.4, Guango Lodge 9.4, Guango Lodge 10.4, observed San Isidro (Ec) 11-14.4 and Guacamayos Ridge 12.4.

Cliff Flycatcher *Hirundinea ferruginea sclateri*

(1) Loreto Road 14.4.

Euler's Flycatcher *Lathrotriccus euleri bolivianus*

(1) 1 heard WildSumaco Lodge 15.4.

Grey-breasted Flycatcher (VU) *Lathrotriccus griseipectus*

(1) 2 Oilbird site near Chontal, Cueva de los Tayos 3.4.

Black Phoebe *Sayornis nigricans angustirostris*

(4) Refugio Paz de las Aves 3.4, Mindo Valley 5.4, San Isidro (Ec) 11.4, Baeza 11.4, Sarayacu Pumping-station 13.4 and Cosanga 13.4.

Olive-sided Flycatcher (NT) *Contopus cooperi*

(4) Rio Silanche Bird Sanctuary 6.4, Cocodrilos, Reserva Ecológica Antisana 12.4, Wildsumaco Rd, downhill 14.4 and WildSumaco Lodge 15.4.

Smoke-colored Pewee (LC) *Contopus fumigatus*

(5) Refugio Paz de las Aves 3.4, San Isidro (Ec) 11.4, San Isidro (Ec) 12.4, 1 heard Cocodrilos, Reserva Ecológica Antisana 13.4 and San Isidro (Ec) 14.4.

Western Wood Pewee *Contopus sordidulus sordidulus*

(6) Kapari Lodge 6.4, Baeza 11.4, Sarayacu Pumping-station 13.4, Wildsumaco Rd, downhill 14.4, WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Acadian Flycatcher (LC) *Empidonax virescens*

(1) 1 heard Rio Silanche Bird Sanctuary 6.4.

Willow Flycatcher (LC) *Empidonax traillii*

(1) heard Rio Napo 19.4.

Vermilion Flycatcher *Pyrocephalus obscurus piurae*

(2) Nayón 8.4 and Baeza 11.4.

Drab Water Tyrant (LC) *Ochthornis littoralis*

(2) Rio Napo 17.4 and Rio Napo 19.4.

Paramo Ground Tyrant *Muscisaxicola alpinus alpinus*

(1) Antisana Ecological Reserve 8.4.

Red-rumped Bush Tyrant *Cnemarchus erythropygius erythropygius*

(1) 2 Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Smoky Bush Tyrant (LC) *Myiotheretes fumigatus*

(1) Guango Lodge 9.4.

Masked Water Tyrant *Fluvicola nengeta atripennis*

(2) Oilbird site near Chontal, Cueva de los Tayos 3.4 and Kapari Lodge 6.4.

Crowned Chat-Tyrant *Silvicultrix frontalis frontalis*

(2) Yanacocha 1.4 and Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Yellow-bellied Chat-Tyrant *Silvicultrix diadema gratiosa*

(1) Bellavista Cloud Forest 2.4.

Slaty-backed Chat-Tyrant (LC) *Ochthoeca cinnamomeiventris*

(2) 1 heard Guango Lodge 10.4 and 1 heard Guacamayos Ridge 12.4.

Brown-backed Chat-Tyrant *Ochthoeca fumicolor brunneifrons*

(2) Antisana Ecological Reserve 8.4 and Papallacta Pass 9.4.

Cattle Tyrant *Machetornis rixosa obscurodorsalis*

(1) Loreto Canton 17.4.

Piratic Flycatcher *Legatus leucophaius leucophaius*

(2) Rio Silanche Bird Sanctuary 6.4 and WildSumaco Lodge 16.4.

Rusty-margined Flycatcher (LC) *Myiozetetes cayanensis*

(2) Pacto--town 4.4 and Rio Silanche Bird Sanctuary 6.4.

Social Flycatcher (LC) *Myiozetetes similis*

(9) Oilbird site near Chontal, Cueva de los Tayos 3.4, 1 heard Rio Silanche Bird Sanctuary 6.4, Baeza 11.4, Wildsumaco Rd, downhill 14.4, WildSumaco Lodge 15.4, WildSumaco Lodge 16.4, Sani Lodge 17.4, Sani Lodge 18.4 and Sani Lodge 20.4.

Grey-capped Flycatcher (LC) *Myiozetetes granadensis*

(5) Oilbird site near Chontal, Cueva de los Tayos 3.4, Sani Lodge 17.4, Sani Lodge 18.4, Yasuni NP 19.4 and Sani Lodge 20.4.

Great Kiskadee *Pitangus sulphuratus sulphuratus*

(3) Sani Lodge 17.4, Sani Lodge 18.4 and Sani Lodge 20.4.

Lesser Kiskadee *Philohydor lictor lictor*

(3) Sani Lodge 17.4, Sani Lodge 18.4 and Sani Lodge 20.4.

Lemon-browed Flycatcher *Conopias cinchoneti cinchoneti*

(3) La Brisa, Baeza 11.4, 1 heard San Isidro (Ec) 12.4 and 1 heard Loreto Road 14.4.

Golden-crowned Flycatcher *Myiodynastes chrysocephalus minor*

(7) Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, Pacto--town 4.4, 23 de Junio 7.4, La Brisa, Baeza 11.4, Cocodrilos, Reserva Ecológica Antisana 12.4 and San Isidro (Ec) 14.4.

Boat-billed Flycatcher (LC) *Megarynchus pitangua*

(3) 1 heard Mashpi Road 4.4, Rio Silanche Bird Sanctuary 6.4 and Sani Lodge 19.4.

Crowned Slaty Flycatcher *Griseotyrannus aurantioatrocristatus aurantioatrocristatus*

(2) Sani Lodge 18.4 and Yasuni NP 19.4.

Tropical Kingbird *Tyrannus melancholicus melancholicus*

(16) Oilbird site near Chontal, Cueva de los Tayos 3.4, Refugio Paz de las Aves 3.4, Mashpi Road 4.4, Mindo Valley 5.4, Kapari Lodge 6.4, Rio Silanche Bird Sanctuary 6.4, 23 de Junio 7.4, en route 10.4, San Isidro (Ec) 11.4, Baeza 11.4, Cocodrilos, Reserva Ecológica Antisana 12.4, Sarayacu Pumping-station 13.4, Loreto Road 14.4, WildSumaco

Lodge 15.4, WildSumaco Lodge 16.4, Loreto Canton 17.4, Coca 17.4, Rio Napo 17.4, Sani Lodge 18.4, Rio Napo 19.4 and Sani Lodge 20.4.

Fork-tailed Flycatcher (LC) *Tyrannus savana*

(2) Sani Lodge 18.4 and Rio Napo 19.4.

Eastern Kingbird (LC) *Tyrannus tyrannus*

(4) Baeza 11.4, Sani Lodge 18.4, Rio Napo 19.4 and Sani Lodge 20.4.

White-rumped Sirystes (LC) *Sirystes albocinereus*

(1) 1 heard Sani Lodge 19.4.

Dusky-capped Flycatcher (LC) *Myiarchus tuberculifer*

(1) Mindo Valley 5.4.

Swainson's Flycatcher (LC) *Myiarchus swainsoni*

(1) Sani Lodge 18.4.

Short-crested Flycatcher *Myiarchus ferox ferox*

(1) Wildsumaco Rd, downhill 14.4.

Pale-edged Flycatcher *Myiarchus cephalotes cephalotes*

(2) San Isidro (Ec) 11.4, La Brisa, Baeza 11.4 and San Isidro (Ec) 14.4.

Large-headed Flatbill *Ramphotrigon megacephalum pectorale*

(1) 1 heard WildSumaco Lodge 16.4.

Cinnamon Attila (LC) *Attila cinnamomeus*

(2) 1 heard Sani Lodge 18.4 and Sani Lodge 20.4.

Citron-bellied Attila (LC) *Attila citriniventris*

(2) 1 heard Sani Lodge 19.4 and Sani Lodge 20.4.

Bright-rumped Attila (LC) *Attila spadiceus*

(2) 1 heard Septimo Paraiso, N of Mindo 5.4 and 1 heard Sani Lodge 19.4.

Cotingas *Cotingidae*

Black-chested Fruiteater (LC) *Pipreola lubomirskii*

(1) Cocodrilos, Reserva Ecológica Antisana 12.4.

Orange-breasted Fruiteater (LC) *Pipreola jucunda*

(1) 2 Amagusa Reserve 4.4.

Green-and-black Fruiteater (LC) *Pipreola riefferii*

(2) Guacamayos Ridge 12.4 and Guacamayos Ridge 14.4.

Grey-tailed Piha (NT) *Snowornis subalaris*

(2) 1 heard WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Andean Cock-of-the-rock (LC) *Rupicola peruvianus*

(4) Tandayapa Valley 1.4, Refugio Paz de las Aves 4.4, Baeza 11.4 and 1 heard Cocodrilos, Reserva Ecológica Antisana 12.4.

Red-crested Cotinga (LC) *Ampelion rubrocristatus*

(1) Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Purple-throated Fruitcrow (LC) *Querula purpurata*

(3) Rio Silanche Bird Sanctuary 6.4, Sani Lodge 18.4 and Sani Lodge 20.4.

Long-wattled Umbrellabird (VU) *Cephalopterus penduliger*

(1) 1 heard 23 de Junio 7.4.

Amazonian Umbrellabird (LC) *Cephalopterus ornatus*

(2) 10 Rio Napo 19.4 and Sani Lodge 20.4.

Screaming Piha (LC) *Lipaugus vociferans*

(1) 1 heard Yasuni NP 19.4.

Plum-throated Cotinga (LC) *Cotinga maynana*

(1) Sani Lodge 18.4.

Spangled Cotinga (LC) *Cotinga cayana*

(2) Sani Lodge 18.4 and Sani Lodge 20.4.

Bare-necked Fruitcrow (LC) *Gymnoderus foetidus*

(2) Rio Napo 19.4 and Sani Lodge 20.4.

Manakins *Pipridae*

Dwarf Tyrant-Manakin (LC) *Tyranneutes stolzmanni*

(2) 1 heard Sani Lodge 17.4 and Sani Lodge 20.4.

Golden-winged Manakin (LC) *Masius chrysopterus*

(3) Refugio Paz de las Aves 3.4, Mashpi Road 4.4 and Septimo Paraiso, N of Mindo 5.4.

Blue-crowned Manakin (LC) *Lepidothrix coronata*

(2) Rio Silanche Bird Sanctuary 6.4 and 1 heard Yasuni NP 19.4.

Blue-rumped Manakin *Lepidothrix isidorei isidorei*

(1) WildSumaco Lodge 15.4.

White-bearded Manakin (LC) *Manacus manacus*

(1) Rio Silanche Bird Sanctuary 6.4.

Wire-tailed Manakin *Pipra filicauda filicauda*

(1) Sani Lodge 20.4.

Striolated Manakin *Machaeropterus striolatus striolatus*

(1) WildSumaco Lodge 16.4.

White-crowned Manakin (LC) *Pseudopipra pipra*

(1) WildSumaco Lodge 16.4.

Golden-headed Manakin *Ceratopipra erythrocephala berlepschi*

(2) 1 heard Yasuni NP 19.4 and Sani Lodge 20.4.

Tityras, Becards, Sharpbill *Tityridae*

Tawny-breasted Myiobius (LC) *Myiobius villosus*

(2) Amagusa Reserve 4.4 and Sarayacu Pumping-station 13.4.

Black-crowned Tityra (LC) *Tityra inquisitor*

(1) Rio Silanche Bird Sanctuary 6.4.

Black-tailed Tityra *Tityra cayana cayana*

(2) Sani Lodge 18.4 and Sani Lodge 20.4.

White-browed Purpletuft (LC) *Iodopleura isabellae*

(1) Sani Lodge 18.4.

Yellow-cheeked Becard *Pachyramphus xanthogenys xanthogenys*

(2) WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Barred Becard (LC) *Pachyramphus versicolor*

(3) Bellavista Cloud Forest 2.4, Amagusa Reserve 4.4 and Cocodrilos, Reserva Ecológica Antisana 12.4.

Cinnamon Becard *Pachyramphus cinnamomeus cinnamomeus*

(2) Amagusa Reserve 4.4, Mashpi Road 4.4 and Mindo Valley 5.4.

White-winged Becard (LC) *Pachyramphus polychopterus*

(3) Sarayacu Pumping-station 13.4, 2 Loreto Road 14.4 and WildSumaco Lodge 16.4.

Black-and-white Becard (LC) *Pachyramphus albogriseus*

(1) 1 heard WildSumaco Lodge 16.4.

Pink-throated Becard (LC) *Pachyramphus minor*

(1) Sani Lodge 20.4.

Vireos, Greenlets, Shrike-babblers *Vireonidae*

Black-billed Peppershrike (LC) *Cyclarhis nigrirostris*

(4) Amagusa Reserve 4.4, 1 heard San Isidro (Ec) 11.4, 1 heard Cocodrilos, Reserva Ecológica Antisana 12.4 and San Isidro (Ec) 14.4.

Slaty-capped Shrike-Vireo (LC) *Vireolanius leucotis*

(2) 1 heard Mashpi Road 4.4 and WildSumaco Lodge 16.4.

Olivaceous Greenlet (NT) *Hylophilus olivaceus*

(2) 1 heard Sarayacu Pumping-station 13.4 and WildSumaco Lodge 16.4.

Lesser Greenlet *Pachysylvia decurtata minor*

(1) Rio Silanche Bird Sanctuary 6.4.

Rufous-naped Greenlet (LC) *Pachysylvia semibrunnea*

(2) WildSumaco Lodge 15.4 and 1 heard WildSumaco Lodge 16.4.

Chivi Vireo (LC) *Vireo chivi*

(2) Refugio Paz de las Aves 3.4 and WildSumaco Lodge 15.4.

Brown-capped Vireo (LC) *Vireo leucophrys*

(6) Bellavista Cloud Forest 2.4, Amagusa Reserve 4.4, Mindo Valley 5.4, San Isidro (Ec) 11.4, La Brisa, Baeza 11.4, Baeza 11.4, Guacamayos Ridge 12.4 and 1 heard WildSumaco Lodge 15.4.

Crows, Jays *Corvidae*

Turquoise Jay (LC) *Cyanolyca turcosa*

(4) Bellavista Cloud Forest 2.4, Guango Lodge 9.4, Guango Lodge 10.4, 1 heard Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4 and 1 heard Guacamayos Ridge 12.4.

Violaceous Jay *Cyanocorax violaceus violaceus*

(5) Sarayacu Pumping-station 13.4, Loreto Road 14.4, WildSumaco Lodge 15.4, Sani Lodge 17.4 and 1 heard Yasuni NP 19.4.

Inca Jay *Cyanocorax yncas yncas*

(5) Guango Lodge 9.4, observed San Isidro (Ec) 11-14.4, La Brisa, Baeza 11.4, Baeza 11.4 and Cocodrilos, Reserva Ecológica Antisana 12.4.

Swallows, Martins *Hirundinidae*

White-winged Swallow (LC) *Tachycineta albiventer*

(4) Sani Lodge 17.4, Sani Lodge 18.4, Rio Napo 17.4, Rio Napo 19.4 and Sani Lodge 20.4.

White-banded Swallow (LC) *Atticora fasciata*

(2) Loreto Canton 17.4 and Rio Napo 19.4.

White-thighed Swallow (LC) *Atticora tibialis*

(3) Mashpi Road 4.4, 23 de Junio 7.4 and Loreto Road 14.4.

Blue-and-white Swallow (LC) *Pygochelidon cyanoleuca*

(13) Bellavista Cloud Forest 2.4, Oilbird site near Chontal, Cueva de los Tayos 3.4, Refugio Paz de las Aves 3.4, Pacto--town 4.4, Mashpi Road 4.4, Mindo Valley 5.4, Rio Silanche Bird Sanctuary 6.4, 23 de Junio 7.4, Quito 8.4, en route 10.4, San Isidro (Ec) 11.4, Baeza 11.4, Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 13.4, Sarayacu Pumping-station 13.4, Cosanga 13.4, Cosanga 14.4, Loreto Road 14.4 and WildSumaco Lodge 15.4.

Brown-bellied Swallow *Orochelidon murina murina*

(3) Yanacocha 1.4, Antisana Ecological Reserve 8.4 and San Isidro (Ec) 11.4.

Southern Rough-winged Swallow (LC) *Stelgidopteryx ruficollis*

(6) Oilbird site near Chontal, Cueva de los Tayos 3.4, Mashpi Road 4.4, Mindo Valley 5.4, Rio Silanche Bird Sanctuary 6.4, 23 de Junio 7.4 and Loreto Road 14.4.

Barn Swallow *Hirundo rustica erythrogaster*

(1) Rio Napo 19.4.

Black-capped Donacobius *Donacobiidae*

Black-capped Donacobius *Donacobius atricapilla nigrodorsalis*

(4) Observed Sani Lodge 17-20.4.

Wrens *Troglodytidae*

Band-backed Wren *Campylorhynchus zonatus brevirostris*

(1) Kapari Lodge 6.4.

Thrush-like Wren *Campylorhynchus turdinus hypostictus*

(1) 1 heard Rio Napo 19.4.

Rufous Wren *Cinnycerthia unirufa unibrunnea*

(2) Yanacocha 1.4 and Guango Lodge 10.4.

Sepia-brown Wren *Cinnycerthia olivascens olivascens*

(4) Bellavista Cloud Forest 2.4, Amagusa Reserve 4.4, San Isidro (Ec) 12.4 and 1 heard Cocodrilos, Reserva Ecológica Antisana 13.4.

Grass Wren *Cistothorus platensis aequatorialis*

(3) Antisana Ecological Reserve 8.4, 1 heard Papallacta Pass 9.4 and 1 heard Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Plain-tailed Wren (LC) *Pheugopedius euophrys*

(3) 1 heard Bellavista Cloud Forest 2.4, Guango Lodge 10.4 and 1 heard Guacamayos Ridge 12.4.

Coraya Wren *Pheugopedius coraya griseipectus*

(2) 1 heard Loreto Road 14.4 and 1 heard WildSumaco Lodge 15.4.

Buff-breasted Wren *Cantorchilus leucotis peruanus*

(1) 1 heard Sani Lodge 20.4.

Bay Wren *Cantorchilus nigricapillus nigricapillus*

(4) Mashpi Road 4.4, Mindo Valley 5.4, 1 heard Kapari Lodge 6.4 and 1 heard 23 de Junio 7.4.

House Wren (LC) *Troglodytes aedon*

(14) Oilbird site near Chontal, Cueva de los Tayos 3.4, Refugio Paz de las Aves 3.4, Amagusa Reserve 4.4, Septimo Paraiso, N of Mindo 5.4, Kapari Lodge 6.4, Kapari Lodge 7.4, San Isidro (Ec) 11.4, La Brisa, Baeza 11.4, Baeza 11.4, Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 13.4, San Isidro (Ec) 13.4, San

Isidro (Ec) 14.4, Loreto Road 14.4, WildSumaco Lodge 15.4, WildSumaco Lodge 16.4, Sani Lodge 17.4, Sani Lodge 18.4 and Sani Lodge 20.4.

Mountain Wren *Troglodytes solstitialis solstitialis*

(7) Refugio Paz de las Aves 3.4, Guango Lodge 9.4, Guango Lodge 10.4 and up to 1 San Isidro (Ec) 11-14.4.

White-breasted Wood Wren (LC) *Henicorhina leucosticta*

(1) 1 heard WildSumaco Lodge 16.4.

Grey-breasted Wood Wren (LC) *Henicorhina leucophrys*

(8) Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, Septimo Paraiso, N of Mindo 5.4, 1 heard Guango Lodge 9.4, Guango Lodge 10.4, up to 1 San Isidro (Ec) 11-13.4, 1 heard Cocodrilos, Reserva Ecológica Antisana 12.4 and Guacamayos Ridge 12.4.

Southern Nightingale-Wren (LC) *Microcerculus marginatus*

(3) 1 heard Oilbird site near Chontal, Cueva de los Tayos 3.4, 1 heard Mashpi Road 4.4 and 1 heard Rio Silanche Bird Sanctuary 6.4.

Wing-banded Wren *Microcerculus bambla albigularis*

(2) 1 heard Loreto Road 14.4 and 1 heard WildSumaco Lodge 16.4.

Gnatcatchers *Polioptilidae*

Trilling Gnatwren (LC) *Ramphocaenus melanurus*

(1) 1 heard Sani Lodge 20.4.

Slate-throated Gnatcatcher (LC) *Polioptila schistaceigula*

(2) Mashpi Road 4.4 and Rio Silanche Bird Sanctuary 6.4.

White-browed Gnatcatcher *Polioptila bilineata bilineata*

(2) Mindo Valley 5.4 and Rio Silanche Bird Sanctuary 6.4.

Mockingbirds, Thrashers *Mimidae*

Tropical Mockingbird *Mimus gilvus tolimensis*

(2) Nayón 8.4 and Coca 17.4.

Thrushes *Turdidae*

Andean Solitaire (LC) *Myadestes ralloides*

(3) Amagusa Reserve 4.4, San Isidro (Ec) 11.4 and 1 heard Guacamayos Ridge 14.4.

Speckled Nightingale-Thrush *Catharus maculatus maculatus*

(3) 1 heard Mashpi Road 4.4, 1 heard WildSumaco Lodge 15.4 and 1 heard WildSumaco Lodge 16.4.

Slaty-backed Nightingale-Thrush *Catharus fuscater fuscater*

(3) 1 heard Bellavista Cloud Forest 2.4, Guango Lodge 9.4 and Guango Lodge 10.4.

Swainson's Thrush (LC) *Catharus ustulatus*

(4) Nayón 8.4, La Brisa, Baeza 11.4, WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Pale-eyed Thrush (LC) *Turdus leucops*

(2) 1 heard La Brisa, Baeza 11.4 and 1 heard San Isidro (Ec) 12.4.

Glossy-black Thrush *Turdus serranus fuscobrunneus*

(4) Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, Septimo Paraiso, N of Mindo 5.4 and San Isidro (Ec) 12.4.

Great Thrush (LC) *Turdus fuscater*

(7) Yanacocha 1.4, Quito 1.4, Bellavista Cloud Forest 2.4, Nayón 8.4, Nayón 8.4, Restaurante Tambo Condor 8.4, Quito 8.4, Papallacta Pass 9.4, Guango Lodge 9.4, Guango Lodge 10.4, Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4, Guacamayos Ridge 12.4 and Guacamayos Ridge 14.4.

Black-billed Thrush *Turdus ignobilis debilis*

(9) Baeza 11.4, Cocodrilos, Reserva Ecológica Antisana 12.4, Sarayacu Pumping-station 13.4, Loreto Road 14.4, observed WildSumaco Lodge 15-17.4, Rio Napo 19.4 and Sani Lodge 20.4.

White-necked Thrush *Turdus albicollis spodiolaemus*

(1) WildSumaco Lodge 16.4.

Ecuadorian Thrush (LC) *Turdus maculirostris*

(4) Refugio Paz de las Aves 3.4, Mindo Valley 5.4, Septimo Paraiso, N of Mindo 5.4, Kapari Lodge 6.4 and 23 de Junio 7.4.

Dippers *Cinclidae*

White-capped Dipper *Cinclus leucocephalus leuconotus*

(2) Mindo Valley 5.4 and Loreto Road 14.4.

Wagtails, Pipits *Motacillidae*

Paramo Pipit *Anthus bogotensis bogotensis*

(2) Yanacocha 1.4 and Antisana Ecological Reserve 8.4.

Finches, Euphonias *Fringillidae*

Lesser Goldfinch *Spinus psaltria colombianus*

(1) Mindo Valley 5.4.

Olivaceous Siskin (LC) *Spinus olivaceus*

(1) San Isidro (Ec) 11.4, La Brisa, Baeza 11.4 and Baeza 11.4.

Hooded Siskin (LC) *Spinus magellanicus*

(1) Nayón 8.4 and Antisana Ecological Reserve 8.4.

Golden-rumped Euphonia *Chlorophonia cyanocephala*

(2) San Isidro (Ec) 11.4, Baeza 11.4 and Cocodrilos, Reserva Ecológica Antisana 12.4.

Chestnut-breasted Chlorophonia (LC) *Chlorophonia pyrrhophrys*

(1) 2 San Isidro (Ec) 11.4.

White-lored Euphonia *Euphonia chrysopasta chrysopasta*

(3) 1 heard Sani Lodge 17.4, Sani Lodge 18.4 and Sani Lodge 20.4.

White-vented Euphonia (LC) *Euphonia minuta*

(2) WildSumaco Lodge 16.4 and Sani Lodge 20.4.

Thick-billed Euphonia (LC) *Euphonia laniirostris*

(4) Mindo Valley 5.4, Kapari Lodge 6.4, Kapari Lodge 7.4 and Sani Lodge 18.4.

Orange-bellied Euphonia (LC) *Euphonia xanthogaster*

(8) Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, Amagusa Reserve 4.4, Mashpi Road 4.4, Mindo Valley 5.4, Septimo Paraiso, N of Mindo 5.4, Kapari Lodge 6.4, Rio Silanche Bird Sanctuary 6.4, 23 de Junio 7.4, Baeza 11.4 and Loreto Road 14.4.

Bronze-green Euphonia *Euphonia mesochrysa mesochrysa*

(5) 2 La Brisa, Baeza 11.4, Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 13.4, 1 heard Loreto Road 14.4 and 1 heard WildSumaco Lodge 15.4.

Rufous-bellied Euphonia *Euphonia rufiventris rufiventris*

(1) Sani Lodge 20.4.

New World Sparrows *Passerellidae*

Yellow-throated Bush Tanager (LC) *Chlorospingus flavigularis*

(3) Mashpi Road 4.4, Mindo Valley 5.4, Septimo Paraiso, N of Mindo 5.4 and Sarayacu Pumping-station 13.4.

Yellow-whiskered Bush Tanager *Chlorospingus parvirostris huallagae*

(2) Guango Lodge 9.4 and Guango Lodge 10.4.

Ashy-throated Bush Tanager (LC) *Chlorospingus canigularis*

(2) Cocodrilos, Reserva Ecológica Antisana 12.4 and Cocodrilos, Reserva Ecológica Antisana 13.4.

Common Bush Tanager *Chlorospingus flavopectus phaeocephalus*

(3) San Isidro (Ec) 11.4, San Isidro (Ec) 12.4, Guacamayos Ridge 12.4 and San Isidro (Ec) 14.4.

Dusky Bush Tanager *Chlorospingus semifuscus semifuscus*

(1) Bellavista Cloud Forest 2.4.

Yellow-browed Sparrow *Ammodramus aurifrons aurifrons*

(4) La Brisa, Baeza 11.4, Baeza 11.4, Loreto Road 14.4, WildSumaco Lodge 16.4 and Rio Napo 19.4.

Black-striped Sparrow (LC) *Arremonops conirostris*

(1) Oilbird site near Chontal, Cueva de los Tayos 3.4.

Grey-browed Brushfinch (LC) *Arremon assimilis*

(2) Yanacocha 1.4 and 1 heard Guango Lodge 10.4.

Orange-billed Sparrow (LC) *Arremon aurantiirostris*

(5) 1 heard Mashpi Road 4.4, Mindo Valley 5.4, Kapari Lodge 6.4, Kapari Lodge 7.4 and WildSumaco Lodge 16.4.

Chestnut-capped Brushfinch (LC) *Arremon brunneinucha*

(3) Bellavista Cloud Forest 2.4, Guango Lodge 10.4 and San Isidro (Ec) 14.4.

Rufous-collared Sparrow *Zonotrichia capensis costaricensis*

(11) Yanacocha 1.4, Quito 1.4, Oilbird site near Chontal, Cueva de los Tayos 3.4, Refugio Paz de las Aves 3.4, Nayón 8.4, Restaurante Tambo Condor 8.4, Quito 8.4, Antisana Ecological Reserve 8.4, Guango Lodge 9.4, Guango Lodge 10.4, Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4, San Isidro (Ec) 11.4, La Brisa, Baeza 11.4, Baeza 11.4, Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 13.4, San Isidro (Ec) 13.4, San Isidro (Ec) 14.4, Cosanga 13.4, Loreto Road 14.4, WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Choco Brushfinch (LC) *Atlapetes crassus*

(4) Bellavista Cloud Forest 2.4, Amagusa Reserve 4.4, Mindo Valley 5.4 and Kapari Lodge 7.4.

Slaty Brushfinch *Atlapetes schistaceus schistaceus*

(2) Guango Lodge 9.4 and Guango Lodge 10.4.

Pale-naped Brushfinch *Atlapetes pallidinucha papallactae*

(2) Guango Lodge 9.4, Guango Lodge 10.4 and Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Yellow-breasted Brushfinch (LC) *Atlapetes latinuchus*

(1) Yanacocha 1.4.

White-winged Brushfinch (LC) *Atlapetes leucopterus*

(1) Refugio Paz de las Aves 3.4.

Oropendolas, Orioles, Blackbirds *Icteridae*

Red-breasted Blackbird (LC) *Leistes militaris*

(1) Sarayacu Pumping-station 13.4.

Yellow-billed Cacique (LC) *Amblycercus holosericeus*

(2) 1 heard Guango Lodge 9.4 and Guacamayos Ridge 12.4.

Russet-backed Oropendola (LC) *Psarocolius angustifrons*

(9) Observed San Isidro (Ec) 11-14.4, Baeza 11.4, Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 13.4, Cosanga 13.4, Loreto Road 14.4, Wildsumaco Rd, downhill 14.4, observed WildSumaco Lodge 15-17.4, Rio Napo 19.4 and Sani Lodge 20.4.

Crested Oropendola *Psarocolius decumanus decumanus*

(7) Loreto Road 14.4, Wildsumaco Rd, downhill 14.4, WildSumaco Lodge 15.4, WildSumaco Lodge 16.4, Sani Lodge 17.4, Sani Lodge 18.4, Rio Napo 19.4 and Sani Lodge 20.4.

Solitary Cacique (LC) *Cacicus solitarius*

(1) 1 heard Sani Lodge 19.4.

Yellow-rumped Cacique (LC) *Cacicus cela*

(6) Sarayacu Pumping-station 13.4, Loreto Road 14.4, Wildsumaco Rd, downhill 14.4, Coca 17.4, Sani Lodge 17.4, Sani Lodge 18.4, Rio Napo 19.4 and Sani Lodge 20.4.

Scarlet-rumped Cacique *Cacicus microrhynchus pacificus*

(2) Mashpi Road 4.4, 1 heard Kapari Lodge 6.4 and Rio Silanche Bird Sanctuary 6.4.

Subtropical Cacique (LC) *Cacicus uropygialis*

(4) Observed San Isidro (Ec) 11-14.4, La Brisa, Baeza 11.4 and Cocodrilos, Reserva Ecológica Antisana 12.4.

Northern Mountain Cacique *Cacicus leucoramphus leucoramphus*

(2) Guango Lodge 9.4 and Guango Lodge 10.4.

Yellow-tailed Oriole *Icterus mesomelas taczanowskii*

(1) Kapari Lodge 6.4.

Orange-backed Troupial *Icterus croconotus croconotus*

(1) Sani Lodge 19.4.

Giant Cowbird *Molothrus oryzivorus oryzivorus*

(2) Kapari Lodge 6.4 and Loreto Road 14.4.

Shiny Cowbird (LC) *Molothrus bonariensis*

(3) Oilbird site near Chontal, Cueva de los Tayos 3.4, 23 de Junio 7.4 and Nayón 8.4.

Scrub Blackbird *Dives warczewiczi warczewiczi*

(3) Oilbird site near Chontal, Cueva de los Tayos 3.4, Kapari Lodge 6.4 and 23 de Junio 7.4.

Oriole Blackbird (LC) *Gymnomystax mexicanus*

(1) Rio Napo 19.4.

New World Warblers *Parulidae*

Black-and-white Warbler (LC) *Mniotilta varia*

(1) San Isidro (Ec) 13.4.

Olive-crowned Yellowthroat *Geothlypis semiflava semiflava*

(1) Oilbird site near Chontal, Cueva de los Tayos 3.4.

American Redstart (LC) *Setophaga ruticilla*

(2) Sarayacu Pumping-station 13.4, Cocodrilos, Reserva Ecológica Antisana 13.4 and WildSumaco Lodge 15.4.

Tropical Parula (LC) *Setophaga pitiayumi*

(7) Oilbird site near Chontal, Cueva de los Tayos 3.4, Refugio Paz de las Aves 3.4, Mashpi Road 4.4, Mindo Valley 5.4, Septimo Paraiso, N of Mindo 5.4, San Isidro (Ec) 11.4, La Brisa, Baeza 11.4, Cocodrilos, Reserva Ecológica Antisana 12.4, WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Blackburnian Warbler (LC) *Setophaga fusca*

(13) Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, Amagusa Reserve 4.4, Mindo Valley 5.4, Septimo Paraiso, N of Mindo 5.4, Kapari Lodge 6.4, Nayón 8.4, Guango Lodge 10.4, San Isidro (Ec) 11.4, San Isidro (Ec) 12.4,

La Brisa, Baeza 11.4, Baeza 11.4, Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 13.4, Guacamayos Ridge 12.4, Sarayacu Pumping-station 13.4, Cosanga 13.4, San Isidro (Ec) 14.4, WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Blackpoll Warbler (NT) *Setophaga striata*

(4) Baeza 11.4, Sarayacu Pumping-station 13.4, Sani Lodge 18.4 and Sani Lodge 20.4.

Citrine Warbler *Myiothlypis luteoviridis luteoviridis*

(1) 1 heard Guacamayos Ridge 14.4.

Black-crested Warbler (LC) *Myiothlypis nigrocristata*

(5) 1 heard Yanacocha 1.4, Guango Lodge 9.4, Guango Lodge 10.4, 1 heard San Isidro (Ec) 11.4 and Guacamayos Ridge 12.4.

Buff-rumped Warbler (LC) *Myiothlypis fulvicauda*

(3) Septimo Paraiso, N of Mindo 5.4, Kapari Lodge 6.4 and Kapari Lodge 7.4.

Choco Warbler (LC) *Myiothlypis chlorophrys*

(1) 1 heard Amagusa Reserve 4.4.

Russet-crowned Warbler (LC) *Myiothlypis coronata*

(3) Bellavista Cloud Forest 2.4, Guango Lodge 9.4 and Guango Lodge 10.4.

Three-striped Warbler (LC) *Basileuterus tristriatus*

(3) Amagusa Reserve 4.4, Mindo Valley 5.4, Septimo Paraiso, N of Mindo 5.4 and Baeza 11.4.

Canada Warbler (LC) *Cardellina canadensis*

(6) Observed San Isidro (Ec) 11-14.4, Baeza 11.4, Sarayacu Pumping-station 13.4, WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Slate-throated Whitestart (LC) *Myioborus miniatus*

(10) Bellavista Cloud Forest 2.4, Oilbird site near Chontal, Cueva de los Tayos 3.4, Refugio Paz de las Aves 3.4, Refugio Paz de las Aves 4.4, Amagusa Reserve 4.4, Mindo Valley 5.4, Septimo Paraiso, N of Mindo 5.4, observed San Isidro (Ec) 11-14.4, La Brisa, Baeza 11.4, Baeza 11.4, Cocodrilos, Reserva Ecológica Antisana 12.4, WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Spectacled Whitestart *Myioborus melanocephalus ruficoronatus*

(4) Yanacocha 1.4, 1 heard Bellavista Cloud Forest 2.4, Papallacta Pass 9.4, Guango Lodge 9.4, Guango Lodge 10.4 and Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Mitrospingid Tanagers *Mitrospingidae*

Dusky-faced Tanager *Mitrospingus cassinii cassinii*

(2) Mashpi Road 4.4 and Rio Silanche Bird Sanctuary 6.4.

Cardinals & Allies *Cardinalidae*

Scarlet Tanager (LC) *Piranga olivacea*

(1) Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Ochre-breasted Tanager *Chlorothraupis stolzmanni*

(1) Mashpi Road 4.4.

Golden Grosbeak *Pheucticus chrysogaster chrysogaster*

(2) en route 1.4 and Nayón 8.4.

Ecuadorian Seedeater *Amaurospiza aequatorialis*

(1) 2 Septimo Paraiso, N of Mindo 5.4.

Tanagers & Allies *Thraupidae*

Plushcap *Catamblyrhynchus diadema diadema*

(1) 2 Guango Lodge 10.4.

Green Honeycreeper (LC) *Chlorophanes spiza*

(3) Kapari Lodge 6.4, Kapari Lodge 7.4, Rio Silanche Bird Sanctuary 6.4 and Sani Lodge 20.4.

Golden-collared Honeycreeper (LC) *Iridophanes pulcherrimus*

(3) 2 Amagusa Reserve 4.4, La Brisa, Baeza 11.4 and Cocodrilos, Reserva Ecológica Antisana 12.4.

Scarlet-browed Tanager *Heterospingus xanthopygius berliozi*

(2) Mashpi Road 4.4 and Rio Silanche Bird Sanctuary 6.4.

Guira Tanager (LC) *Hemithraupis guira*

(1) Rio Silanche Bird Sanctuary 6.4.

Swallow Tanager *Tersina viridis occidentalis*

(1) Cocodrilos, Reserva Ecológica Antisana 13.4.

Purple Honeycreeper (LC) *Cyanerpes caeruleus*

(4) Rio Silanche Bird Sanctuary 6.4, Loreto Road 14.4, Sani Lodge 18.4 and Sani Lodge 20.4.

Scarlet-breasted Dacnis (VU) *Dacnis berlepschi*

(1) Rio Silanche Bird Sanctuary 6.4.

Scarlet-thighed Dacnis *Dacnis venusta fuliginata*

(1) Rio Silanche Bird Sanctuary 6.4.

Blue Dacnis (LC) *Dacnis cayana*

(4) Rio Silanche Bird Sanctuary 6.4, WildSumaco Lodge 15.4, WildSumaco Lodge 16.4 and Sani Lodge 20.4.

Yellow-bellied Dacnis (LC) *Dacnis flaviventer*

(2) Sani Lodge 18.4 and Sani Lodge 20.4.

Black-faced Dacnis (LC) *Dacnis lineata*

(2) Wildsumaco Rd, downhill 14.4 and Sani Lodge 18.4.

Yellow-tufted Dacnis *Dacnis egregia aequatorialis*

(1) Rio Silanche Bird Sanctuary 6.4.

Blue-grey Saltator *Saltator coerulescens azarae*

(3) 1 heard Loreto Road 14.4, 1 heard WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Buff-throated Saltator *Saltator maximus maximus*

(5) Oilbird site near Chontal, Cueva de los Tayos 3.4, Amagusa Reserve 4.4, Mashpi Road 4.4, Septimo Paraiso, N of Mindo 5.4, Kapari Lodge 6.4, Kapari Lodge 7.4 and Rio Silanche Bird Sanctuary 6.4.

Black-winged Saltator (LC) *Saltator atripennis*

(2) Amagusa Reserve 4.4 and Kapari Lodge 6.4.

Slate-colored Grosbeak (LC) *Saltator grossus*

(3) 1 heard Oilbird site near Chontal, Cueva de los Tayos 3.4, Amagusa Reserve 4.4 and WildSumaco Lodge 15.4.

Bananaquit (LC) *Coereba flaveola*

(8) Oilbird site near Chontal, Cueva de los Tayos 3.4, Mindo Valley 5.4, Kapari Lodge 6.4, Rio Silanche Bird Sanctuary 6.4, La Brisa, Baeza 11.4, Sarayacu Pumping-station 13.4, Loreto Road 14.4, Wildsumaco Rd, downhill 14.4, WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Yellow-faced Grassquit *Tiaris olivaceus pusillus*

(1) Oilbird site near Chontal, Cueva de los Tayos 3.4.

Dull-colored Grassquit *Asemospiza obscura pauper*

(2) Oilbird site near Chontal, Cueva de los Tayos 3.4 and Mindo Valley 5.4.

Blue-black Grassquit (LC) *Volatinia jacarina*

(3) Oilbird site near Chontal, Cueva de los Tayos 3.4, Mindo Valley 5.4 and Rio Silanche Bird Sanctuary 6.4.

Grey-headed Tanager *Eucometis penicillata penicillata*

(1) 1 heard Sani Lodge 19.4.

White-shouldered Tanager *Loriotus luctuosus*

(4) Mashpi Road 4.4, Mindo Valley 5.4, Rio Silanche Bird Sanctuary 6.4 and WildSumaco Lodge 15.4.

Tawny-crested Tanager *Tachyphonus delatrii*

(1) Rio Silanche Bird Sanctuary 6.4.

White-lined Tanager (LC) *Tachyphonus rufus*

(6) Oilbird site near Chontal, Cueva de los Tayos 3.4, Kapari Lodge 6.4, Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 13.4, Loreto Road 14.4 and WildSumaco Lodge 16.4.

Lemon-rumped Tanager (LC) *Ramphocelus icteronotus*

(5) Oilbird site near Chontal, Cueva de los Tayos 3.4, Refugio Paz de las Aves 3.4, Amagusa Reserve 4.4, Mashpi Road 4.4, Mindo Valley 5.4, Septimo Paraiso, N of Mindo 5.4, Kapari Lodge 6.4, Kapari Lodge 7.4, Rio Silanche Bird Sanctuary 6.4 and 23 de Junio 7.4.

Masked Crimson Tanager (LC) *Ramphocelus nigrogularis*

(3) Observed Sani Lodge 18-20.4.

Silver-beaked Tanager *Ramphocelus carbo carbo*

(10) Guango Lodge 9.4, 1 heard Guango Lodge 10.4, 1 heard Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 13.4, Sarayacu Pumping-station 13.4, Loreto Road 14.4, Wildsumaco Rd,

downhill 14.4, WildSumaco Lodge 15.4, WildSumaco Lodge 16.4, Sani Lodge 18.4, Rio Napo 19.4 and Sani Lodge 20.4.

Lesson's Seedeater (LC) *Sporophila bouvronides*

(2) Sani Lodge 18.4 and Sani Lodge 20.4.

Variable Seedeater *Sporophila corvina ophthalmica*

(3) Oilbird site near Chontal, Cueva de los Tayos 3.4, Mindo Valley 5.4 and Rio Silanche Bird Sanctuary 6.4.

Caqueta Seedeater (LC) *Sporophila murallae*

(1) Rio Napo 19.4.

Yellow-bellied Seedeater (LC) *Sporophila nigricollis*

(4) Oilbird site near Chontal, Cueva de los Tayos 3.4, Refugio Paz de las Aves 3.4, 1 heard Amagusa Reserve 4.4, Mindo Valley 5.4 and 23 de Junio 7.4.

Thick-billed Seed Finch *Sporophila funerea aethiops*

(1) Rio Silanche Bird Sanctuary 6.4.

Chestnut-bellied Seedeater (LC) *Sporophila castaneiventris*

(2) Loreto Road 14.4 and Rio Napo 19.4.

Grey-hooded Bush Tanager *Cnemoscopus rubrirostris rubrirostris*

(2) Guango Lodge 9.4 and Guango Lodge 10.4.

Black-capped Hemispingus (LC) *Kleinothraupis atropileus*

(1) Guango Lodge 9.4.

Oleaginous Hemispingus *Sphenopsis frontalis frontalis*

(1) San Isidro (Ec) 14.4.

Black-eared Hemispingus *Sphenopsis melanotis melanotis*

(2) Guango Lodge 9.4 and Guango Lodge 10.4.

Orange-headed Tanager *Thlypopsis sordida chrysopis*

(1) Rio Napo 19.4.

Superciliaried Hemispingus (LC) *Thlypopsis superciliaris*

(1) Yanacocha 1.4.

Black-backed Bush Tanager (LC) *Urothraupis stolzmanni*

(1) 8 Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Capped Conebill (LC) *Conirostrum albifrons*

(4) Bellavista Cloud Forest 2.4, Guango Lodge 9.4, Guango Lodge 10.4 and San Isidro (Ec) 11.4.

Blue-backed Conebill *Conirostrum sitticolor sitticolor*

(2) Yanacocha 1.4 and Guango Lodge 10.4.

Cinereous Conebill *Conirostrum cinereum fraseri*

(2) Yanacocha 1.4 and Restaurante Tambo Condor 8.4.

Saffron Finch (LC) *Sicalis flaveola*

(2) Kapari Lodge 6.4 and Nayón 8.4.

Plumbeous Sierra Finch *Geospizopsis unicolor geospizopsis*

(2) Antisana Ecological Reserve 8.4 and Papallacta Pass 9.4.

Plain-colored Seedeater *Catamenia inornata minor*

(2) Yanacocha 1.4 and Antisana Ecological Reserve 8.4.

Golden-eyed Flowerpiercer *Diglossa glauca tyrianthina*

(5) Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 13.4, Loreto Road 14.4, WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Bluish Flowerpiercer *Diglossa caerulescens media*

(4) San Isidro (Ec) 11.4, Guacamayos Ridge 12.4, 1 heard San Isidro (Ec) 13.4 and Guacamayos Ridge 14.4.

Masked Flowerpiercer (LC) *Diglossa cyanea*

(9) Yanacocha 1.4, Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, Septimo Paraiso, N of Mindo 5.4, Guango Lodge 9.4, Guango Lodge 10.4, San Isidro (Ec) 11.4, Guacamayos Ridge 12.4 and San Isidro (Ec) 14.4.

Indigo Flowerpiercer (LC) *Diglossa indigotica*

(1) Amagusa Reserve 4.4.

Glossy Flowerpiercer (LC) *Diglossa lafresnayii*

(3) Yanacocha 1.4, Guango Lodge 9.4 and Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

White-sided Flowerpiercer (LC) *Diglossa albilatera*

(2) Bellavista Cloud Forest 2.4 and Mindo Valley 5.4.

Black Flowerpiercer *Diglossa humeralis aterrima*

(2) Quito 1.4 and Restaurante Tambo Condor 8.4.

Vermilion Tanager (LC) *Calochaetes coccineus*

(1) Cocodrilos, Reserva Ecológica Antisana 12.4.

Yellow-throated Tanager (LC) *Iridosornis analis*

(1) Cocodrilos, Reserva Ecológica Antisana 14.4.

Golden-crowned Tanager (LC) *Iridosornis rufivertex*

(1) Yanacocha 1.4.

Fawn-breasted Tanager *Pipraeidea melanonota venezuelensis*

(3) Mindo Valley 5.4, 1 heard San Isidro (Ec) 11.4 and WildSumaco Lodge 16.4.

Blue-and-yellow Tanager *Rauenia bonariensis darwinii*

(1) Quito 1.4.

Buff-breasted Mountain Tanager *Dubusia taeniata taeniata*

(1) 1 heard Guango Lodge 9.4.

Hooded Mountain Tanager *Buthraupis montana cucullata*

(3) Yanacocha 1.4, Guango Lodge 9.4 and Guacamayos Ridge 12.4.

Blue-capped Tanager *Sporathraupis cyanocephala cyanocephala*

(1) Bellavista Cloud Forest 2.4.

Grass-green Tanager *Chlorornis riefferii riefferii*

(4) Bellavista Cloud Forest 2.4, Guango Lodge 10.4, San Isidro (Ec) 11.4 and 1 heard Guacamayos Ridge 12.4.

Black-chested Mountain Tanager (LC) *Cnemathraupis eximia*

(1) Yanacocha 1.4.

Blue-winged Mountain Tanager (LC) *Anisognathus somptuosus*

(5) Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, San Isidro (Ec) 11.4, Cocodrilos, Reserva Ecológica Antisana 12.4 and San Isidro (Ec) 14.4.

Black-chinned Mountain Tanager (LC) *Anisognathus notabilis*

(2) Refugio Paz de las Aves 3.4 and Amagusa Reserve 4.4.

Scarlet-bellied Mountain Tanager *Anisognathus igniventris erythrotus*

(3) Yanacocha 1.4, Laguna Papallacta 9.4 and Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Lacrimose Mountain Tanager (LC) *Anisognathus lacrymosus*

(1) Guango Lodge 10.4.

Glistening-green Tanager (LC) *Chlorochrysa phoenicotis*

(2) Amagusa Reserve 4.4 and Septimo Paraiso, N of Mindo 5.4.

Orange-eared Tanager *Chlorochrysa calliparaea bourcieri*

(3) Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 13.4 and WildSumaco Lodge 15.4.

Moss-backed Tanager (LC) *Bangsia edwardsi*

(1) Amagusa Reserve 4.4.

Magpie Tanager *Cissopis leverianus leverianus*

(3) Loreto Road 14.4, WildSumaco Lodge 15.4 and Sani Lodge 19.4.

Red-capped Cardinal *Paroaria gularis gularis*

(2) Sani Lodge 18.4 and Rio Napo 19.4.

Rufous-throated Tanager (LC) *Ixothraupis rufigula*

(1) Amagusa Reserve 4.4.

Spotted Tanager *Ixothraupis punctata zamorae*

(2) Loreto Road 14.4 and WildSumaco Lodge 15.4.

Yellow-bellied Tanager *Ixothraupis xanthogastra xanthogastra*

(1) WildSumaco Lodge 16.4.

Golden-naped Tanager (LC) *Chalcothraupis ruficervix*

(4) Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, Amagusa Reserve 4.4 and Septimo Paraiso, N of Mindo 5.4.

Grey-and-gold Tanager (LC) *Poecilostreptus palmeri*

(1) Mashpi Road 4.4.

Blue-grey Tanager (LC) *Thraupis episcopus*

(12) Oilbird site near Chontal, Cueva de los Tayos 3.4, Refugio Paz de las Aves 3.4, Mashpi Road 4.4, Mindo Valley 5.4, Septimo Paraiso, N of Mindo 5.4, Kapari Lodge 6.4, Kapari Lodge 7.4, Rio Silanche Bird Sanctuary 6.4, La Brisa, Baeza 11.4, Baeza 11.4, Cocodrilos, Reserva Ecológica Antisana 12.4, Sarayacu Pumping-station 13.4, Cosanga 13.4, Loreto Road 14.4, WildSumaco Lodge 15.4, WildSumaco Lodge 16.4 and Sani Lodge 20.4.

Palm Tanager (LC) *Thraupis palmarum*

(11) Refugio Paz de las Aves 3.4, Amagusa Reserve 4.4, Mindo Valley 5.4, Kapari Lodge 6.4, Kapari Lodge 7.4, Rio Silanche Bird Sanctuary 6.4, Baeza 11.4, Loreto Road 14.4, Wildsumaco Rd, downhill 14.4, WildSumaco Lodge 15.4, WildSumaco Lodge 16.4, Loreto Canton 17.4 and Sani Lodge 20.4.

Black-capped Tanager (LC) *Stilpnia heinei*

(3) 1 heard Bellavista Cloud Forest 2.4, San Isidro (Ec) 11.4, La Brisa, Baeza 11.4 and Cocodrilos, Reserva Ecológica Antisana 12.4.

Golden-hooded Tanager *Stilpnia larvata fanny*

(1) Rio Silanche Bird Sanctuary 6.4.

Blue-necked Tanager (LC) *Stilpnia cyanicollis*

(8) Mindo Valley 5.4, Septimo Paraiso, N of Mindo 5.4, Kapari Lodge 6.4, La Brisa, Baeza 11.4, Baeza 11.4, Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 13.4, Sarayacu Pumping-station 13.4, Cosanga 13.4, Loreto Road 14.4, WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Scrub Tanager (LC) *Stilpnia vitriolina*

(1) Nayón 8.4.

Blue-and-black Tanager *Tangara vassorii vassorii*

(3) Refugio Paz de las Aves 3.4, Guango Lodge 9.4 and Guango Lodge 10.4.

Beryl-spangled Tanager (LC) *Tangara nigroviridis*

(7) Bellavista Cloud Forest 2.4, Amagusa Reserve 4.4, Mindo Valley 5.4, Septimo Paraiso, N of Mindo 5.4, Guango Lodge 9.4, Guango Lodge 10.4, San Isidro (Ec) 11.4 and San Isidro (Ec) 12.4.

Blue-browed Tanager *Tangara cyanotis lutleyi*

(1) Cocodrilos, Reserva Ecológica Antisana 12.4.

Metallic-green Tanager *Tangara labradorides labradorides*

(2) Bellavista Cloud Forest 2.4 and Septimo Paraiso, N of Mindo 5.4.

Bay-headed Tanager (LC) *Tangara gyrola*

(6) Mashpi Road 4.4, Mindo Valley 5.4, Septimo Paraiso, N of Mindo 5.4, Rio Silanche Bird Sanctuary 6.4, Loreto Road 14.4, WildSumaco Lodge 15.4 and WildSumaco Lodge 16.4.

Rufous-winged Tanager *Tangara lavinia lavinia*

(1) Rio Silanche Bird Sanctuary 6.4.

Saffron-crowned Tanager *Tangara xanthocephala venusta*

(4) San Isidro (Ec) 11.4, San Isidro (Ec) 12.4, Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 13.4, Cosanga 13.4 and San Isidro (Ec) 14.4.

Flame-faced Tanager (LC) *Tangara parzudakii*

(6) Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, Amagusa Reserve 4.4, Mindo Valley 5.4, San Isidro (Ec) 11.4, La Brisa, Baeza 11.4 and Cocodrilos, Reserva Ecológica Antisana 12.4.

Green-and-gold Tanager *Tangara schrankii schrankii*

(1) Sani Lodge 20.4.

Golden Tanager (LC) *Tangara arthus*

(8) Bellavista Cloud Forest 2.4, Refugio Paz de las Aves 3.4, Amagusa Reserve 4.4, Mashpi Road 4.4, Mindo Valley 5.4, Septimo Paraiso, N of Mindo 5.4, 23 de Junio 7.4, Cocodrilos, Reserva Ecológica Antisana 12.4, Cocodrilos, Reserva Ecológica Antisana 13.4 and WildSumaco Lodge 15.4.

Emerald Tanager (LC) *Tangara florida*

(1) Mashpi Road 4.4.

Silver-throated Tanager *Tangara icterocephala icterocephala*

(4) Mashpi Road 4.4, Mindo Valley 5.4, Septimo Paraiso, N of Mindo 5.4, Kapari Lodge 6.4 and Kapari Lodge 7.4.

Paradise Tanager *Tangara chilensis chilensis*

(2) WildSumaco Lodge 16.4 and Sani Lodge 20.4.

Mammals (19 in total: 19 seen)

Status codes: E = Endemic**, NE** = Near-endemic**, I** = Introduced

IUCN codes: CR = Critically endangered, **EN** = Endangered, **VU** = Vulnerable, **EW** = Extinct in the Wild, **NT** = Near Threatened, **DD** = Data Deficient

Wolves, Coyote, Foxes and Jackals *Canidae*

Sechuran Fox (NT) *Lycalopex sechurae*

(1) Antisana Ecological Reserve 8.4.

Raccoons and Relatives *Procyonidae*

Olinguito (NT) *Bassaricyon neblina*

(1) Bellavista Cloud Forest 1.4.

Kinkajou (LC) *Potos flavus*

(2) Bellavista Cloud Forest 1.4 and WildSumaco Lodge 15.4.

Tapirs *Tapiridae*

Mountain Tapir (EN) *Tapirus pinchaque*

(1) Guango Lodge 9.4.

Deer *Cervidae*

White-tailed Deer (LC) *Odocoileus virginianus ustus*

(1) Antisana Ecological Reserve 8.4.

Amazon River Dolphins *Iniidae*

Amazon River Dolphin (EN) *Inia geoffrensis*

(1) Rio Napo 19.4.

Sac-winged or Sheath-tailed Bats *Emballonuridae*

Proboscis Bat (LC) *Rhynchonycteris naso*

(1) Sani Lodge 17.4.

Cebid Monkeys *Cebidae*

Humboldt's White-fronted Capuchin (LC) *Cebus albifrons*

(3) 1 heard Sani Lodge 17.4, Yasuni NP 19.4 and Sani Lodge 20.4.

Ecuadorean Squirrel Monkey (LC) *Saimiri macrodon*

(3) Rio Napo 17.4, Yasuni NP 19.4 and Sani Lodge 20.4.

Marmosets and Tamarins *Callitrichidae*

Black-mantled Tamarin (LC) *Saguinus nigricollis graellsi*

(1) WildSumaco Lodge 15.4.

Howler, Spider and Woolly Monkeys *Atelidae*

Colombian Red Howler Monkey (LC) *Alouatta seniculus*

(2) Sani Lodge 18.4 and Sani Lodge 20.4.

Common Woolly Monkey (VU) *Lagothrix lagothricha*

(2) WildSumaco Lodge 16.4 and Yasuni NP 19.4.

Rabbits, Hares *Leporidae*

Andean Rabbit (DD) *Sylvilagus andinus*

(3) Yanacocha 1.4, Antisana Ecological Reserve 8.4 and Papallacta Hot Springs - Cayambe Coca Ecological Reserve 10.4.

Agoutis *Dasyproctidae*

Black Agouti (LC) *Dasyprocta fuliginosa*

(3) 3 San Isidro (Ec) 11.4, San Isidro (Ec) 13.4 and San Isidro (Ec) 14.4.

Cavies and Guinea Pigs *Caviidae*

Capybara (LC) *Hydrochoerus hydrochaeris*

(1) Rio Napo 17.4.

Squirrels *Sciuridae*

Amazon Dwarf Squirrel (LC) *Microsciurus flaviventer*

(1) WildSumaco Lodge 16.4.

Western Dwarf Squirrel (LC) *Microsciurus mimulus*

(1) Mashpi Road 4.4.

Red-tailed Squirrel (LC) *Sciurus granatensis*

(6) Bellavista Cloud Forest 2.4, Septimo Paraiso, N of Mindo 5.4, San Isidro (Ec) 11.4, Guacamayos Ridge 12.4, San Isidro (Ec) 14.4 and WildSumaco Lodge 15.4.

Southern Amazon Red Squirrel (LC) *Sciurus spadiceus*

(1) Yasuni NP 19.4.

Rockjumper Birding Ltd
The Hive, Lot 23
Centre Commercial du Barachois
La Place Cap, Tamarin, Mauritius

Tel: (USA & Canada) toll-free: 1-888-990-5552
Email: info@rockjumper.com
Website: www.rockjumperbirding.com